

References

- Adger, W. N., Hughes, T. P., Folke, C., Carpenter, S., and Rockström, J., 2005. Social-ecological resilience to coastal disasters. *Science* 309 (5737): 1036-1039.
- Abrams, P.A., 1995. Monotonic or unimodal diversity-productivity gradients: what does competition theory predict? *Ecology* 76 : 2019-2127.
- Airoldi, L., and M. W. Beck., 2007. Loss, status and trends for coastal marine habitats of Europe. *Oceanography and Marine Biology*, 45:345-405.
- Airoldi, L., 1998. Roles of disturbance, sediment stress, and substratum retention on spatial dominance in algal turf. *Ecology*, 79:2759–2770.
- Airoldi, L., 2000. Effects of disturbance, life histories, and overgrowth on coexistence of algal crusts and turfs. *Ecology*, 81: 798–814.
- Airoldi L., Balata D., Beck M.W., 2008. The Gray Zone: relationships between habitat loss and marine diversity and their applications in conservation. *J. Exp. Mar Biol. Ecol.* 366: 8-15
- Alongi, D. M., 2002. Present state and future of the world's mangrove forests. *Environmental Conservation* 29:331-349.
- Andrew, N. L., 1993. Spatial Heterogeneity, Sea-Urchin Grazing, and Habitat Structure on Reefs in Temperate Australia. *Ecology* 74:292-302.
- Andrew, N.L., Stocker, L.J., 1986. Dispersion and phagokinesis in the echinoid *Evechinus chloroticus* (Val.). *Journal of Experimental Marine Biology and Ecology* 100, 11–23.
- Andrew, N.L., Underwood, A.J., 1993. Density-dependent foraging in the sea urchin *Centrostephanus rodgersii* on shallow subtidal reefs in New South Wales, Australia. *Marine Ecology Progress Series* 99:89-98
- Arévalo, R., Pinedo, S., Ballesteros, E., 2007. Changes in the composition and structure of Mediterranean rocky-shore communities following a gradient of nutrient enrichment: Descriptive study and test of proposed methods to assess water quality regarding macroalgae. *Marine Pollution Bulletin*, 55: 104–113
- Aronson, R. B., W. F. Precht, I. G. Macintyre, and T. J. T. Murdoch. 2000. Ecosystems - Coral bleach-out in Belize. *Nature* 405:36-36.
- Altman, S. and Withlach, R.B. 2007. Effects of small-scale disturbance on invasion success in marine communities. *Journal of Experimental Marine Biology and Ecology*, 342: 15-29.
- Andrew, N.L. and Stocker, L.J., 1986. Dispersion and phagokinesis in the echinoid *Evechinus chloroticus* (Val.). *Journal of Experimental Marine Biology and Ecology*, 100: 11–23.
- Andrew, N.L. and Underwood, A.J., 1989. Patterns of abundance of the sea urchin *Centrostephanus rodgersii* (Agassiz) on the central coast of New South Wales, Australia. *Journal of Experimental Marine Biology and Ecology*, 131: 61–80.
- Arévalo, R., Pinedo, S., Ballesteros, E., 2007. Changes in the composition and structure of Mediterranean rocky-shore communities following a gradient of nutrient

- enrichment: Descriptive study and test of proposed methods to assess water quality regarding macroalgae. *Marine Pollution Bulletin*, 55: 104–113.
- Aronson, R. B., Precht, W. F., Macintyre, I. G., Murdoch, T. J. T.. 2000. Ecosystems - Coral bleach-out in Belize. *Nature* 405:36-36.
- Arrontes, J., 1990. Diet, food preference and digestive efficiency in intertidal isopods inhabiting macroalgae. *Journal of Experimental Marine Biology and Ecology*, 139: 231–249.
- Asmus, R.M. and Asmus, H., 1991. Mussel beds: limiting or promoting phytoplankton? *Journal of Experimental Marine Biology and Ecology*, 148:215–232
- Auerbach, S. I. 1981. Ecosystem response to stress: a review of concepts and approaches. In: Barrett, G. W. and Rosenberg, R. (eds), *Stress effects on natural ecosystems*. John Wiley and Sons Ltd, pp. 29/41.
- Ayre, D. and Hughes, T.P., 2004. Climate change, genotypic diversity and gene flow in reef-building corals. *Ecology Letters* 7, 273–278
- Ballesteros, E., 1992. Els vegetals i la zonació litoral: espècies, comunitats i factors que influeixen a la seva distribució, Arxius de la Secció de Ciències CI. Institut d' Estudis Catalans, Barcelona, 616.
- Balmford, A., Green, R.E. and Jenkins, M., 2003. Measuring the changing state of nature. *Trends in Ecology and Evolution* 18, 326–330.
- Bamstedt, U., Nejstgaard, J.C., Solberg, P.T., 1999. Utilisation of small-sized food algae by *Calanus finmarchicus* (Copepoda, Calanoida) and the significance of feeding history. *Sarsia*, 84: 19–38.
- Ban, N. and Alder, J., 2008. How wild is the ocean? Assessing the intensity of anthropogenic marine activities in British Columbia, Canada. *Aquat. Conserv. Mar. Freshwat. Ecosyst.*, 18, 55–85.
- Barmawidjaja, D.M., Van der Zwaan, G.J., Jorissen, F.J., Puskarić, S. 1995. 150 years of eutrophication in the northern Adriatic Sea: evidence from a benthic foraminiferal record. *Marine Geology* 122:367–384
- Barrett, G. W., G. M. Van Dyne, and O. E. P. 1976. Stress ecology. *BioScience* 26:192-194.
- Bavestrello, G., Bianchi, C.N., Calcina, B., Cattaneo-Vietti, R., Cerrano, C., Morri, C., Puce, S. and Sarà, M., 2000. Bio-mineralogy as a structuring factor for marine epibenthic communities. *Marine Ecology Progress Series*, 193: 241–249.
- Beck, M.W., Heck, K.L., Jr., Able, K.W., Childers, D.L., Eggleston, D.B., Gillanders, B.M., Halpern, B., Hays, C.G., Hoschino, K., Minello, T.J., Orth, R.J., Scheridan, P.F. and Weinstein, M.P. 2001. The identification, conservation, and management of estuarine and marine nurseries for fish and invertebrates. *BioScience* 51, 633–641.
- Becker, M.E., 1996. The effect of nutrient loading on benthic microalgae biomass and taxonomic composition. MS Thesis, University of North Carolina at Wilmington. 29pp.
- Beisner, B.E., 2001. Plankton community structure in fluctuating environments and the role of productivity. *Oikos*, 95: 496–510.

- Belsher, T., 1974. Séquence des effets d'un égout urbain, en fonction de l'éloignement de la source de pollution, sur les peuplements photophiles de mode battu (fraction algale); premiers résultats. Bulletin Société Phycologie de France, 19: 158–163.
- Benedetti-Cecchi, L., Cinelli, F., 1994. Recovery of patches in an assemblage of geniculate coralline algae: variability different successional stages. Marine Ecology Progress Series, 110: 9–18.
- Benedetti-Cecchi, L. and Cinelli, F., 1995. Habitat heterogeneity, sea urchin grazing and the distribution of algae in littoral rock pools on the west coast of Italy (western Mediterranean). Marine Ecology Progress Series, 126: 203–212.
- Bengtsson, J., 1998. Which species? What kind of diversity? Which ecosystem function? Some problems in studies of relations between biodiversity and ecosystem function. Applied Soil Eclogy 10, 191–199.
- Bergeron, P. and Bourget, E., 1986. Shore topography and spatial partitioning of crevice refuges by sessile epibenthos in an ice disturbed environment. Marine Ecology Progress Series, 28: 129–145.
- Berkes, F. et al. , 2003. Navigating Social–Ecological Systems: Building Resilience for Complexity and Change, Cambridge University Press
- Berner, D., Blanckenhorn, W.U., Körner, C., 2005. Grasshoppers cope with low host plant quality by compensatory feeding and food selection: N limitation challenged. Oikos, 111: 525–533.
- Beverton, R. J. H., and Holt, S. J., 1993. On the dynamics of exploited fish populations. Fish and fisheries series (Vol. 11, 533 p.). London, UK: Chapman and Hall.
- Bevilacqua, S., Terlizzi, A., Fraschetti, S., Russo, G.F., Boero, F., 2006. Mitigating human disturbance: can protection influence trajectories of recovery in benthic assemblages? Journal of Animal Ecology, 75: 908–920.
- Bianchi, C.N. and Peirano, A., 1995. Atlante delle Fanerogame Marine della Liguria. *Posidonia oceanica e Cymodocea nodosa*. La Spezia: ENEA CRAM, Segraf.
- Biles, C.L., Paterson, D.M., Ford, R.B., Solan, M., Raffaelli, D.G., 2002. Bioturbation, ecosystem functioning and community structure. Hydrology and Earth Systems Sci. 6, 999–1005.
- Blanck H 2002 A critical review of procedures and approaches used for assessing pollution-induced community tolerance (PICT) in biotic communities. Human Ecology and Risk Assessment, 8, 1003–1034.
- Bokn, T. L., Moy, F. E., Walday, M., 1996. Improvement of the shallow water communities following reductions of industrial outlets and sewage discharge in the Hvaler estuary, Norway. Hydrobiologia 326/327, 297–304.
- Bokn, T.L., Duarte, C.M., Pedersen, M.F., Marba, N., Moy, F.E., Barron, C., Bjerkeng, B., Borum, J., Christie, H., Engelbert, S., Fotel, F.L., Hoell, E.E., Karez, R., Kersting, K., Kraufvelin, P., Lindblad, C., Olsen, M.A., Sanderud, K.A., Sommer, U., Sørensen, K., 2003. The response of experimental rocky shore communities to nutrient additions. Ecosystems 6, 577–594.

- Borer, E.T., Halpern, B.S. and Seabloom, E.W. 2006. Asymmetry in community regulation: effects of predators and productivity. *Ecology*, 87, 2813–2820.
- Borowitzka, M.A., 1972. Intertidal algal species diversity and the effect of pollution. *Australian Journal of Marine and Freshwater Research*, 23: 73–84.
- Botsford LW, Castilla JC, Peterson CH 1997. The management of marine ecosystems. *Science* 277:509-515
- Bourget, E., De Guise, J., Daigle, G., 1994. Scales of substratum heterogeneity, structural complexity, and the early establishment of a marine epibenthic community. *Journal of Experimental Marine Biology and Ecology*, 181:31–51.
- Boyer, K.E., Fong, P., Armitage, A.R., Cohen, R.A., 2004. Elevated nutrient content of tropical macroalgae increases rates of herbivory in coral, seagrass, and mangrove habitats. *Coral Reefs*, 23: 530–538.
- Bracken, M.E.S. and Stachowicz, J.J., 2007. Top-down modification of bottom-up processes: selective grazing reduces macroalgal nitrogen uptake. *Marine Ecology Progress Series*, 330: 75–82.
- Bray, J.R., Curtis, J.T., 1957. An ordination of the upland forest communities of Southern Wisconsin. *Ecological Monograph*, 27: 325–349.
- Breitburg, D. L., 1996. Consumer mobility and the relative importance of consumption and competition following physical disturbance. *Marine Ecology-Progress Series* 138:83-92
- Breitburg, D. L., Baxter, J., Hatfield, C., Howart, R.W., Jones, G., Lovett, G.M., Wigand, C., 1998. Understanding effects of multiple stressors: Ideas and challenges, 416-431. In M. Pace and R Groffman (eds.), *Successes, Limitations and Frontiers in Ecosystem Science*. Springer, New York.
- Bridges, T.S., Heppell, S., 1996. Fitness consequences of maternal effects in *Streblospio benedicti* (Annelida: Polychaeta). *Am. Zool.* 36, 132–146.
- Bruno, J.F. and Bertness, M.D., 2001. Habitat modification and facilitation in benthic marine communities. In: Bertness, M.D., Hay, M.E., Gaines, S.D. (Eds.). *Marine community ecology*, 201-218.
- Bryant, D., Burke, L., McManus, J., Spalding, M., 1998. *Reefs at Risk: A Map-Based Indicator of Threats to the World's Coral Reefs*. World Resources Institute, Washington, DC.
- Bulleri, F. and Benedetti-Cecchi, L., 2006. Mechanisms of recovery and resilience of different components of mosaics of habitats on shallow rocky reefs. *Oecologia*, 149:482–492.
- Bulleri, F., Benedetti-Cecchi, L., Cinelli, F., 1999. Grazing by the sea urchins *Arbacia lixula* L. and *Paracentrotus lividus* Lam. in the Northwest Mediterranean. *Journal of Experimental Marine Biology and Ecology*, 241:81–95.
- Bulleri, F., Bertocci, I., Micheli, F., 2002. Interplay of encrusting coralline algae and sea urchins in maintaining alternative habitats. *Marine Ecology Progress Series*, 243:101–109.
- Bulleri, F., Underwood, A.J. and Benedetti-Cecchi, L., 2007. The interpretation of ecological impacts in human-dominated environments. *Environmental Conservation* 34: 181–182.

- Burke, L., Kura, Y., Kassem, K., Revenga, C., Spalding, M. and Mc Allister, D. 2001. Pilot Analysis of Global Ecosystems. Coastal Ecosystems. Washington.
- Burkpile, D.E. and Hay, M.E., 2006. Herbivore vs. nutrient control of marine primary producers: context-dependent effects. *Ecology*, 87, 3128–3139.
- Cancemi G., De Falco G., Pergent G., 2003. Effects of organic matter input from a fish farming facility on a *Posidonia oceanica* meadow. *Estuarine Coastal and Shelf Science*, 56(5–6): 961–968.
- Canning-Clode, J., Kaufmann, M., Molis, M., Wahl M., Lenz, M., 2008. Influence of disturbance and nutrient enrichment on early successional fouling communities in an oligotrophic marine system. *Marine Ecology*, 29:115-124.
- Cardoso, P. G., D. Raffaelli, and M. A. Pardal. 2008. The impact of extreme weather events on the seagrass *Zostera noltii* and related *Hydrobia ulvae* population. *Marine Pollution Bulletin* 56:483-492.
- Carpenter, R.C., 1984. Predator and population density control of homing and behaviour in the Caribbean echinoid *Diadema antillarum*. *Marine Biology*, 82: 101–108.
- Carpenter, S. R., and W. A. Brock. 2006. Rising variance: a leading indicator of ecological transition. *Ecology Letters* 9:311-318
- Carpenter, S.R., Kitchell, J.F., Hodgson, J.R., 1985. Cascading trophic interactions and lake productivity. *Bioscience* 35, 634e639.
- Carpenter, S.R. and J.F. Kitchell, editors. 1993. The trophic cascade in lakes. Cambridge University Press, Cambridge, England.
- Casini, M., J. Hjelm, J.-C. Molinero, J. LÄ¶vgren, M. Cardinale, V. Bartolino, A. Belgrano, and G. Kornilovs. 2009. Trophic cascades promote threshold-like shifts in pelagic marine ecosystems. *Proceedings of the National Academy of Sciences* 106:197-202.
- Cattaneo-Vietti, R., Albertelli, G., Bavestrello, G., Bianchi, C.N., e 5 altri, 2002. Can rock composition affect sublittoral epibenthic communities? *Pubblicazioni della Stazione Zoologica di Napoli I: Marine Ecology*, 23:65–77.
- Ceccherelli, G. and Cinelli, F. 1997. Short-term effects of nutrient enrichment of the sediment and interactions between the seagrass *Cymodocea nodosa* and the introduced green alga *Caulerpa taxifolia* in a Mediterranean bay. *Journal of Experimental Marine Biology and Ecology*, 217: 165–177.
- Cencini, C. 1998. Physical processes and human activities in the evolution of the Po delta, Italy. *Journal of Coastal Research* 14, 774–793
- Chapin, F.S. III et al. (2000) Consequences of changing biodiversity. *Nature* 405, 234–242
- Chapman, M.G. and Underwood, A.J., 1998. Inconsistency and variation in the development of rocky intertidal algal assemblages. *Journal of Experimental Marine Biology and Ecology*, 224: 265–289.
- Chase, J.M. and Leibold, M.A., 2002. Spatial scale dictates the productivity–biodiversity relationship. *Nature*, 416: 427–430.

- Christensen, M. R., Graham, M. D., Vinebrooke, R. D., Findlay D. L., Paterson, M. J., Turner, M.A. 2006. Multiple anthropogenic stressors cause ecological surprises in boreal lakes. *Global Change Biology* 12:2316-2322
- Christensen N.L.jr 2008. Embracing diversity, embracing change. *Frontiers in Ecology and the Environment*, 6(8): 403-403.
- Ciesielski T., Wasik A., Kuklik I., Skora K., Namiesnik J., Szefer P. 2004. Organotin compounds in the liver tissue of marine mammals from the polish coast of the Baltic Sea. *Environmental Science and Technology*, 38: 1415–1420.
- Clarke, K.R. 1993. Non-parametric multivariate analyses of changes in community structure. *Australian Journal of Ecology*, 18: 117–143.
- Clark, R.B, Frid C., Attrill M. 1997. Marine pollution. 4th edition. Clarendon Press, Oxford, United Kingdom, 161.
- Cloern, J.E. 2001. Our evolving conceptual model of the coastal eutrophication problem. *Marine Ecology Progress Series*, 210: 223–253.
- Coleman, R.A., Browne, M., Theobalds, T. 2002. Small-scale spatial variability in intertidal and subtidal turfing algal assemblages and the temporal generality of these patterns. *Journal of Experimental Marine Biology and Ecology* 267:53–74
- Collie, J. S., Richardson, K. and Steele, J. H. 2004 Regime shifts: can ecological theory illuminate the mechanisms? *Progress in Oceanography*, 60: 281–302.
- Connell, J.H., 1978. Diversity in tropical rainforests and coral reefs. *Science*, 199: 1302–1310.
- Connell, J.H. and Keough, M.J., 1985. Disturbance and patch dynamics of subtidal marine animals on hard substrata. In: Pickett, S.T.A. and White, P.S. Editors, 1985. *The Ecology of Natural Disturbance and Patch Dynamics*. Academic Press, New York, 101–124.
- Cornwell, W.K. and Grubb, P.J., 2003. Regional and local patterns in plant species richness with respect to resource availability. *Oikos*, 100: 417–428.
- Conley, D. J., J. Carstensen, G. rtebjerg, P. B. Christensen, T. Dalsgaard, J. L. S. Hansen, and A. B. Josefson. 2007. Long-term changes and impacts of hypoxia in danish coastal waters. *Ecological Applications* 17:S165-S184
- Connell, J.H., 1978. Diversity in tropical rain forests and coral reefs. *Science* 199:1302–1309.
- Connell, J.H., Keough, M.J., 1985. Disturbance and patch dynamics of subtidal marine animals on hard substrata. In: Pickett, S.T.A., White, P.S. (Eds.), *The Ecology of Natural Disturbance and patch Dynamics*. Academic Press, Orlando Florida, pp. 125–151.
- Cornwell, W.K., Grubb, P.J., 2003. Regional and local patterns in plant species richness with respect to resource availability. *Oikos* 100:417–428
- Costanza, R., R. d'Arge, R. de Groot, S. Farber, M. Grasso, B. Hannon, K. Limburg, S. Naeem, R. V. O'Neill, J. Paruelo, R. G. Raskin, P. Sutton, and M. van den Belt. 1998. The value of the world's ecosystem services and natural capital. *Ecological Economics* 25:3-15.
- Costanza, R. 2001. *Institutions, Ecosystems, and Sustainability*, Lewis Publishers

- Cowen, R.K., Agegian, C.R., Foster, M.S., 1982. The maintenance of community structure in a Central California giant kelp forest. *Journal of Experimental Marine Biology and Ecology*, 64: 189–201.
- Crain, C. M., K. Kroeker, and B. S. Halpern. 2008. Interactive and cumulative effects of multiple human stressors in marine systems. *Ecology Letters* 11:1304-1315.
- Currie, D.J., 1991. Energy and large-scale patterns of animal- and plant-species richness. *American Naturalist*, 137:27–49.
- Danielsen F. et al. , *Science* 310, 643 (2005).
- Davidson, N.C., Laffoley, D.d., Doody, J.P., Way, L.S., Gordon, J., Key, R., Drake, C.M., Pienkowski, M.W., Mitchell, R. and Duff, K.L. 1991. *Nature Conservation and Estuaries in Great Britain*. Peterborough, U.K.: Nature Conservancy Council.
- Dayton, P.K., 1971. Competition, disturbance, and community organization—provision and subsequent utilization of space in a rocky intertidal community. *Ecological Monographs*, 41: 351-389.
- Dayton, P.K., 1973. Dispersion, dispersal, and persistence of the annual intertidal alga *Postelsia palmaeformis* Ruprecht. *Ecology*, 54: 433–438.
- Dayton, P.K., Currie, V., Gerrodette, T., Keller, B.D., Rosenthal, R., Ven Tresca, D., 1984. Patch dynamics and the stability of some California kelp communities. *Ecol. Monogr.* 54, 253–289.
- Dayton, P.K., Tegner, M.J., Parnell, P.E., Edwards, P.B., 1992. Temporal and spatial patterns of disturbance and recovery in a kelp forest community. *Ecological Monographs*, 62: 421–445.
- Diaz, R.J. 2001. Overview of hypoxia around the world. *Journal of Environmental Quality* 30, 275–280.
- Diaz, S., Cabido, M., 2001. Vive la difference: plant functional diversity matters to ecosystem processes. *Trends Ecol. Evol.* 16, 646–655.
- Díez, I., Secilla, A., Santolaria, A., Gorostiaga, J.M., 1999. Phytobenthic intertidal community structure along an environmental pollution gradient. *Marine Pollution Bulletin*, 38: 463–472.
- DiTommaso, A. and Aarsen, L.W., 1989. Resource manipulations in natural vegetation: a review. *Vegetatio*, 84: 9–29.
- Duarte, C.M., 1995. Submerged aquatic vegetation in relation to different nutrient regimes. *Ophelia*, 41:87–112.
- Duarte, C.M. 2002. The future of seagrass meadows. *Environmental Conservation* 29, 192–206
- Duffy, J.E. and Harvilicz, A.M., 2001. Species-specific impacts of grazing amphipods in an eelgrass-bed community. *Marine Ecology Progress Series*, 223: 201–211.
- Duffy, J.E., Stachowicz, J.J., 2006. Why biodiversity is important to oceanography: potential roles of genetic, species, and trophic diversity in pelagic ecosystem processes. *Mar. Ecol. Prog. Ser.* 311, 179–189.
- Duggins, D.O., 1981. Sea urchins and kelp: the effects of short term changes in urchin diet. *Limnology and Oceanography*, 26: 391–394.

- EEA, 1999. Coastal and marine zones. Chapter 3.14. Environment in the European Union at the Turn of the Century. State of Environment report No 1/1999. Copenhagen: EEA.
- EEA, 2006. The Changing Faces of Europe's Coastal Areas. EEA Report 6/2006. Luxembourg: OPOCE.
- EEA. 1999a. Coastal and marine zones. Chapter 3.14. Environment in the European Union at the Turn of the Century. State of Environment report No 1/1999. Copenhagen: EEA.
- EEA. 1999b. Corine Land Cover (CLC1990) 250 m - Version 06/1999.
- EEA. 1999c. State and Pressures of the Marine and Coastal Mediterranean Environment. Environmental Issues Series 5. Luxembourg: OPOCE.
- EEA. 2001. Eutrophication in Europe's Coastal Waters. Topic Report 7. Copenhagen: EEA.
- EEA. 2002. Europe's Biodiversity — Biogeographical Regions and Seas.
- EEA. 2005. The European Environment — State and Outlook 2005. Copenhagen: EEA.
- EEA. 2006. The Changing Faces of Europe's Coastal Areas. EEA Report 6/2006. Luxembourg: OPOCE.
- Elmqvist, T., Folke, C., Nystrom, M., Peterson, G., Bengtsson, J., Walker, B., Norberg, J., 2003. Response diversity, ecosystem change, and resilience. *Front. Ecol. Environ.* 1, 488–494.
- Faimali, M., Garaventa, F., Terlizzi, A., Chiantore, M., Cattaneo-Vietti, R., 2004. The interplay of substrate nature and biofilm formation in regulating *Balanus amphitrite* Darwin, 1854 larval settlement. *Journal of Experimental Marine Biology and Ecology*, 306: 37–50.
- Fanelli, G., Piraino, S., Belmonte, G., Geraci, S., Boero, F., 1994. Human predation along apulian rocky coasts (SE Italy) - Desertification caused by Lithophaga lithophaga (Mollusca) fisheries. *Marine Ecology Progress Series*, 110: 1-8.
- FAO (Food and Agriculture Organization of the United Nations). The State of World Fisheries and Aquaculture (SOFIA): 2002. Biennial report on fisheries and aquaculture
- Figueira R.C.L., Cunha I.I.L.; 1998. The contamination of the oceans by anthropogenic radionuclides. *Quimica Nova*, 21: 73–77.
- Fink, P. and Von Elert, E., 2006. Physiological responses to stoichiometric constraints: nutrient limitation and compensatory feeding in a freshwater snail. *Oikos*, 115: 484–494.
- Folke, C. et al. (2004) Regime shifts, resilience and biodiversity in ecosystem management. *Annu. Rev. Ecol. Syst.* 35, 557–581
- Folt, C. L., C. Y. Chen, M. V. Moore, and J. Burnaford. 1999. Synergism and antagonism among multiple stressors. *Limnology and Oceanography* 44:864-877.
- Fong, P., Zedler, J.B., Donohoe, R.M., 1993: Nitrogen vs. phosphorus limitation of algal biomass in shallow coastal lagoons. *Limnology and Oceanography*, 38: 906–923.

- Frid, C., Hammer, C., Law, R., Loeng, H., Pawlak, J.F., Reid, P.C. and Tasker, M. 2003. Environmental Status of the European Seas. Copenhagen: ICES.
- Fraschetti, S., Bianchi, C.N., Terlizzi A., Fanelli, G., Morri, C., Boero, F. 2001. Spatial variability and human disturbance in shallow subtidal hard bottom assemblages: a regional approach. *Marine Ecology Progress Series*, 212: 1-12.
- Fraschetti, S., Terlizzi, A., Boero, F., 2008 How many habitats are in the sea (and where)? *Journal of Experimental Marine Biology and Ecology*, 366:109–155
- Giaccone, G., 1993. The vertical zonation along the phytal system in the Mediterranean Sea and the effects of municipal and industrial wastewater disposal on phytobenthos communities. *Fifth Optima Meeting*, Istanbul, 5: 47–56.
- Giesy J.P., Kannan K., 2001. Global distribution of perfluorooctane sulfonate in wildlife. *Environmental Science and Technology*, 35: 1339–1342.
- Gilbert, B., Lechowicz, M.J., 2005. Invasibility and abiotic gradients: the positive correlation between native and exotic plant diversity. *Ecology* 86: 1848–1855.
- Gill, A.B., 2005. Offshore renewable energy: ecological implications of generating electricity in the coastal zone. *Journal of Applied Ecology* 42, 605–615.
- Giller, P.S., Hillebrand, H., Berninger, U.G., Gessner,M.O., Hawkins, S., Inchausti, P., Inglis, C., Leslie, H., Malmqvist, B., Monaghan, M.T., Morin, P.J., O'Mullan, G., 2004. Biodiversity effects on ecosystem functioning: emerging issues and their experimental test in aquatic environments. *Oikos* 104, 423–436.
- Glasby, T.M., 2000. Surface composition and orientation interact to affect subtidal epibiota *Journal of Experimental Marine Biology and Ecology*, 248: 177–190.
- Goecker, M.E., Heck, K.L. Jr, Valentine, J.F., 2005. Effects of nitrogen concentrations in turtlegrass *Thalassia testudinum* on consumption by the bucktooth parrotfish *Sparisoma radians*. *Marine Ecology Progress Series*, 286: 239–248.
- Goldberg, N.A. and Foster, M.S., 2002. Settlement and post-settlement processes limit the abundance of the geniculate coralline alga *Calliarthon* on subtidal walls. *Journal of Experimental Marine Biology and Ecology*, 278: 31–45.
- Gomoiu, M.-T. 1992. Marine eutrophication syndrome in the north-western part of the Black Sea. In *Marine Coastal Eutrophication*, R.A. Vollenweider et al. (eds). Amsterdam: Elsevier, 683–692.
- Gorostiaga, J.M. and Díez, I., 1996. Changes in the sublittoral benthic marine macroalgae in the polluted area of Abra de Bilbao and proximal coast (northern Spain). *Marine Ecology Progress Series*, 130: 157–167.
- Gosselin, L.A. and Quian, P.Y., 1997. Juvenile mortality in benthic marine invertebrates. *Marine Ecology Progress Series*, 146: 265–282.
- Gough, L., Osenberg, C.W., Gross, K.L., Collins, S.L., 2000. Fertilization effects on species density and primary productivity in herbaceous plant communities. *Oikos*, 89: 428–439.
- Grasshoff, K., 1983. Determination of nitrate. In: “Methods of Seawater Analysis”, Grasshoff K., M. Ehrhardt, K. Kremling Eds, Verlag Chemie, Weinheim, 143–150.

- Gray J.S., 1992. Eutrophication in the sea. Pp. 3–15 in Colombo G., Ferrari I., Seccherelli V.U., Rossi R. (eds), *Marine Eutrophication and Population Dynamics*. Olsen and Olsen, Fredensborg, Denmark.
- Gray, J.S., Dayton, P., Thrush, S., Ugland, K.I., 2007. From policy to practice in developing ecologically sustainable fisheries: Reply to Valdimarsson? *Marine Pollution Bulletin* 54: 491–493.
- Green, E.P. and Short, F.T. 2003. *World Atlas of Seagrasses*. Berkeley, California: UNEP-WCMC, University of California Press.
- Grime, J.P., 1973. Control of species density in herbaceous vegetation. *Journal of Environmental Management*, 1: 151–167.
- Grime, J.P., 1977. Evidence for the existence of three primary strategies in plants and its relevance to ecological and evolutionary theory. *American Naturalist*, 111: 1169–1194.
- Gross, K., Mittelbach, G.G., Reynolds, H.L., 2005. Grassland invisibility and diversity: responses to nutrients, seed input, and disturbance. *Ecology* 86: 476–486.
- Gruner, D.S., Smith, J.E., Seabloom, E.W., Sandin, S.A., Ngai, J.T., Hillebrand, H. et al., 2008. A cross-system synthesis of consumer and nutrient resource control on producer biomass. *Ecology Letter*, 11: 740–755.
- Guarnieri G., Terlizzi A., Bevilacqua S., Fraschetti S., 2009. Local vs regional effects of substratum on early colonization stages of sessile assemblages. *Biofouling*.
- Guerry, A.D., 2008. Interactive effects of grazing and enrichment on diversity; conceptual implications of a rocky intertidal experiment. *Oikos*, 117(8): 1185–1196
- Guichard, F., Bourget, E., Robert, J.L., 2001. Scaling the influence of topographic heterogeneity on intertidal benthic communities: alternate trajectories mediated by hydrodynamics and shading. *Marine Ecology Progress Series*, 217:27–41.
- Guidetti P., Boero F., 2004. Desertification of Mediterranean rocky reefs caused by datemussel, *Lithophaga lithophaga* (Mollusca: Bivalvia), fishery: effects on adult and juvenile abundance of a temperate fish. *Marine Pollution Bulletin*, 48: 978–982.
- Guidetti, P., Fraschetti, S., Terlizzi, A., Boero, F., 2004. Effects of Desertification caused by *Lithophaga lithophaga* (Mollusca) fishery along Apulian rocky coasts (SE Italy, Mediterranean Sea): effects on littoral fish assemblages. *Conservation Biology*, 18: 1417–1423.
- Guidetti, P., Fraschetti, S., Terlizzi, A., Boero, F., 2003. Distribution of sea urchins and barrens in shallow mediterranean rocky reefs impacted by the illegal fishery of the rock-boring molluscs *Lithophaga lithophaga*. *Marine Biology*, 143: 1135–1142.
- Gundersen, L.H. and Pritchard, L., eds (2002) *Resilience and the Behavior of Large-scale Systems*, Island Press
- Hairston, N.G., Smith, F.E., Slobodkin, L.B., 1960. Community Structure, Population Control, and Competition. *The American Naturalist*, 94 (879): 421–425.
- Hall, S.J., 1999. The effects of fishing on marine ecosystems and communities. Blackwell Science, Oxford
- Hall, S.J., Gray, S.A., Hammett, Z.L., 2000. Biodiversity-productivity relations: an experimental evaluation of mechanisms. *Oecologia*, 122 :545–555.

- Halpern, B., Selkoe, K., Micheli, F. and Kappel, C. (2007). Evaluating and ranking the vulnerability of global marine ecosystems to anthropogenic threats. *Conserv. Biol.*, 21, 1301–1315.
- Halpern, B.S., Walbridge, S., Selkoe, K.A., Kappel, C.V., Micheli, F., D'Agrosa, C. et al., 2008. A global map of human impact on marine ecosystems. *Science*, 319, 948–952.
- Hannah, L., Lohse, D., Hutchinson, C., Carr, J.J. and Lankerani, A. 1994. A preliminary inventory of human disturbance of world ecosystems. *Ambio* 23, 246–250.
- Hanson, P.J., Wullschleger, S.D., Norby, R.J. et al., 2005. Importance of changing CO₂, temperature, precipitation, and ozone on carbon and water cycles of an upland-oak forest: incorporating experimental results into model simulations. *Global Change Biology*, 11, 1402–1423.
- Hardege J.D.; 1999. Nereidid polychaetes as model organisms for marine chemical ecology. *Hydrobiologia*, 402: 145–161.
- Hare, S. R., and Mantua, N. J., 2000. Empirical evidence for North Pacific regime shifts in 1977 and 1989. *Progress in Oceanography*, 47, 103–145.
- Harrold, C. and Reed, D.C., 1985. Food availability, sea urchin grazing, and kelp forest community structure. *Ecology*, 66: 1160–1169.
- Harvell, D. et al., 2004. The rising tide of ocean diseases: unsolved problems and research priorities. *Front. Ecol. Environ.* 2, 375–382
- Hauxwell, J., McClelland, J., Behr, P.J., Valiela, I., 1998. Relative importance of grazing and nutrient controls of macroalgal biomass in three temperate shallow estuaries. *Estuaries*, 21: 347–360.
- Hawkins, S.J., 1981. The influence of season and Barnacles on the algal colonization of *Patella-Vulgata* exclusion areas. *Journal of the Marine Biological Association of the United Kingdom*, 61: 1–15.
- Hawkins, S.J. and Hartnoll, R.G., 1983. Grazing of intertidal algae by marine invertebrates. *Oceanography and Marine Biology: An Annual Review*, 21: 195–282.
- Heck, K.L., Jr. and Crowder, L.B. 1991. Habitat structure and predator-prey interactions in vegetated aquatic systems. In *Habitat Structure: the Physical Arrangement of Objects in Space*, S.S. Bell et al. (eds). London: Chapman and Hall, 282–299.
- Hein, M., Pedersen, M.F., Sand-Jensen, K., 1995. Size-dependent nitrogen uptake in micro- and macroalgae. *Marine Ecology Progress Series*, 118:247–253.
- Heithaus, M. R., Frid, A., Wirsing, A. J., Worm, B., 2008. Predicting ecological consequences of marine top predator declines. *Trends in Ecology and Evolution* 23:202–210.
- Henry HAL, Juarez JD, Field CB et al., 2005. Interactive effects of elevated CO₂, N deposition and climate change on extracellular enzyme activity and soil density fractionation in a California annual grassland. *Global Change Biology*, 11, 1808–1815.

- Hereu, B., 2005. Movement patterns of the sea urchin *Paracentrotus lividus* in a marine reserve and an unprotected area in the NW Mediterranean. *Marine Ecology Progress Series*, 26: 54–62.
- Hilborn, R. and Litzinger, E., 2009. Causes of Decline and Potential for Recovery of Atlantic Cod Populations. *The Open Fish Science Journal*, 2: 32-38.
- Hilborn, R., 2007. Defining success in fisheries and conflicts in objectives. *Marine Policy*, 31(2): 153-158.
- Hillebrand, H., 2003. Opposing effects of grazing and nutrients on diversity. *Oikos*, 100: 592–600.
- Hillebrand, H., Worm, B., Lotze, H.K., 2000. Marine microbenthic community structure regulated by nitrogen loading and grazing pressure. *Marine Ecology Progress Series*, 204:27–38.
- Hillebrand H., and Kahlert M., 2002. Effect of grazing and water column nutrient supply on biomass and nutrient content of sediment microalgae. *Aquatic Botany*, 72: 143–159.
- Hills, J.M., Thomason, J.C., 1998. The effects of scales of surface roughness on the settlement of the barnacle (*Semibalanus balanoides*). *Biofouling*, 12: 57–70.
- Himmelman, J.H., Cardinal, A., Bourget, E., 1983. Community development following removal of urchins, *Strongylocentrotus droebachiensis*, from the rocky subtidal zone of the St. Lawrence estuary, eastern Canada. *Oecologia*, 59: 27–39.
- Hixon, M.A. and Brostoff, W.N., 1996. Succession and herbivory: effects of differential fish grazing on Hawaiian coral-reef algae. *Ecological Monographs*, 66:67–90.
- Hobbs, R.J., 1989. The nature and effect of disturbance relative to invasions. In: Drake, J.A., Mooney, H.A., Di Castri, F., Groves, R.H., Kruger, M., Rejmanek, M., Williamson, M. (Eds.), *Biological Invasions: A Global Perspective*. John Wiley and Sons, NY, USA, 389–405.
- Hoffmann, R.C., 2005. A brief history of aquatic resource use in medieval Europe. *Helgoland Marine Research* 59, 22–30.
- Holmer, M., Duarte, C.M., Marbà, N., 2003. Sulfur cycling and seagrass (*Posidonia oceanica*) status in carbonate sediments. *Biogeochemistry* 66:223–239.
- Holmer, M., Marbà N., Lamote, M., Duarte C., 2009. Deterioration of sediment quality in seagrass meadows (*Posidonia oceanica*) invaded by macroalgae (*Caulerpa sp.*). *Estuaries and Coasts*, 32 (3): 456-466.
- Holmlund C.M., Hammer M.; 1999. Ecosystem services generated by fish populations. *Ecological Economics*, 29: 253–268.
- Hooper, D.U., Chapin, F.S., Ewel, J.J., Hector, A., Inchausti, P., Lavorel, S., Lawton, J.H., Lodge, D.M., Loreau, M., Naeem, S., Schmid, B., Setala, H., Symstad, A.J., Vandermeer, J., Wardle, D.A., 2005. Effects of biodiversity on ecosystem functioning: A consensus of current knowledge. *Ecol. Monogr.* 75, 3–35.
- Hubbell, S.P., 2001. *The Unified Neutral Theory of Biodiversity and Biogeography*. Princeton University Press, Princeton, NJ, USA.

- Huberty, A.F. and Denno, R.F., 2006. Consequences of nitrogen and phosphorus limitation for the performance of two planthoppers with divergent life-history strategies. *Oecologia*, 149: 444–455.
- Hughes, T. P., 1994. Catastrophes, phase shifts and large-scale degradation of a Caribbean reef. *Science* 265: 1547–1551.
- Hughes, L. 2000. Biological consequences of global warming: is the signal already apparent? *Trends in Ecology and Evolution* 15:56–61.
- Hughes, T.P., Connell, J.H., 1999. Multiple Stressors on Coral Reefs: A Long-Term Perspective. *Limnology and Oceanography*, 44 (3,2): 932-940.
- Hughes, T.P., Baird, A.H., Bellwood, D.R., Card, M., Connolly, S.R., Folke, C. et al. (2003). Climate change, human impacts, and the resilience of coral reefs. *Science*, 301, 929–933.
- Hughes, T.P., Bellwood, D.R., Folke, C., Steneck, R.S., Wilson, J., 2005. New paradigms for supporting the resilience of marine ecosystems. *Trends in Ecology and Evolution*, 20: 380-386.
- Huston, 1994. Biological diversity: The coexistence of species on changing landscapes. Cambridge University Press, Cambridge, UK.
- Huston, M.A. 1979. A general hypothesis of species diversity. *American Naturalist*, 113: 81-101.
- Islam, M.S. and Tanaka, M. 2004. Impacts of pollution on coastal and marine ecosystems including coastal and marine fisheries and approach for management: a review and synthesis. *Marine Pollution Bulletin* 48, 624–649.
- Jackson JBC. 1994. Constancy and change of life in the sea. *Philosophical Transactions of the Royal Society B* 344: 55–60.
- Jackson, J.B.C., Kirby, M.X., Berger, W.H., Bjorndal, K.A., Botsford, L.W., Bourque, B.J. et al., 2001. Historical overfishing and the recent collapse of coastal ecosystems. *Science*, 293, 629–638.
- Jansson, B.-O. and Dahlberg, K. 1999. The environmental status of the Baltic sea in the 1940s, today and in the future. *Ambio* 28, 312–319.
- Jara, V.C., Miyamoto, J.H.S., da Gama, B.A.P., Molis, M., Wahl, M., Pereira, R.C., 2006. Limited evidence of interactive disturbance and nutrient effects on the diversity of macrobenthic assemblages. *Marine Ecology Progress Series*, 308: 37-48.
- Jax, K., 2005. Function and qfunctioningq in ecology:what does itmean? *Oikos* 111, 641–648.
- Jaubert, J.M., Chisholm, J.R.M., Minghelli-Roman, A., Marchioretti, M., Morrow, J.H., Ripley, H.T., 2003. Re-evaluation of the extent of *Caulerpa taxifolia* development in the northern Mediterranean using airborne spectrographic sensing. *Marine Ecology Progress Series*, 263: 75–82.
- Jenssen B.M.; 2003. Marine pollution: the future challenge is to link human and wildlife studies. *Environmental Health Perspectives*, 111: 198–199.
- Johnson, C.R. and Mann, K.H., 1988. Diversity, patterns of adaptation, and stability of Nova Scotian kelp beds. *Ecological Monographs*, 58: 129–154.

- Johnson, C.R., 2004. A most unusual barrens: complex interactions between lobsters, sea urchins and algae facilitates spread of an exotic kelp in eastern Tasmania. In Proceedings of the 1th International Echinoderm Conference (Heinzeller, T. and Nebelsick, J.H., eds), pp. 213–220, Balkema
- Jones, D. D., and Walters, C. J. (1976). Catastrophe theory and fisheries regulation. *Journal of the Fisheries Research Board of Canada*, 33, 2829–2833.
- Kaiser J., Enserink M.; 2000. Environmental toxicology - Treaty takes a POP at the dirty dozen. *Science*, 290: 2053.
- Kirby M.X., 2004. Fishing down the coast: historical expansion and collapse of oyster fisheries along continental margins. *Proceedings of the National Academy of Sciences* 101:13096–13099.
- Karez, R., Engelbert, S., Sommer, U., 2000. ‘Co-consumption’ and ‘protective coating’: two new proposed effects of epiphytes on their macroalgal hosts in mesograzer-epiphytehost interactions. *Marine Ecology Progress Series*, 205: 85–93.
- Karlson, K., Rosenberg, R. and Bonsdorff, E. 2002. Temporal and spatial large-scale effects of eutrophication and oxygen deficiency on benthic fauna in Scandinavian and Baltic waters — a review. *Oceanography and Marine Biology: An Annual Review* 40, 427–489.
- Kassen, R., Llewellyn, M., Rainey, P.B., 2004. Ecological constraints on diversification in a model adaptive radiation. *Nature*, 431: 984–988.
- Kawamata, S., 1998. Effect of wave-induced oscillatory flow on grazing by a subtidal sea urchin *Strongylocentrotus nudus* (A. Agassiz). *Journal of Experimental Marine Biology and Ecology*, 224: 31–48.
- Kennelly, S.J., 1987. Inhibition of kelp recruitment by turfing algae and consequences for an Australian kelp community. *Journal of Experimental Marine Biology and Ecology*, 112: 49–60.
- Kennish M.J.; 2002. Environmental threats and environmental future of estuaries. *Environmental Conservation*, 29: 78–107.
- Keough, M.J., 1984. Effects of patch size on the abundance of sessile marine invertebrates. *Ecology*, 65: 423–437.
- Kinzig, A. P., P. Ryan, M. Etienne, H. Allyson, T. Elmquist, and B. H. Walker. 2006. Resilience and regime shifts: assessing cascading effects. *Ecology and Society* 11(1): 20
- Klausmeier, C.A., 2001. Habitat destruction and extinction in competitive and mutualistic metacommunities. *Ecology Letter*, 4: 57–63.
- Klein, J., Ruitton, S., Verlaque, M., Boudouresque, C.F., 2005. Species introductions, diversity and disturbances in marine macrophyte assemblages of the northwestern Mediterranean Sea. *Marine Ecology Progress Series*. 290, 79–88.
- Kneitel, J.M., Chase, J.M., 2004. Trade-offs in community ecology: linking spatial scales and species coexistence. *Ecology Letters*, 7: 69–80.
- Knowlton, N., 2004. Multiple “stable” states and the conservation of marine ecosystems. *Progress in Oceanography* 60, 387–396.

- Kondoh, M., 2001. Unifying the relationships of species richness to productivity and disturbance. *Proceedings of the Royal Society London B*, 268: 269–271.
- Korpinen, S., Jormalainen, V., Honkanen, T., 2007. Effects of nutrients, herbivory, and depth on the macroalgal community in the rocky sublittoral. *Ecology*, 88 (4): 839–852.
- Kraufvelin, P., 2007. Responses to nutrient enrichment, wave action and disturbance in rocky shore communities. *Aquatic Botany*, 87: 262–274.
- Kruskal, J.B. and Wish M., 1978. Multidimensional scaling. Sage Publications, Beverly Hills, California, USA.
- Lafferty, K. D., Porter, J. W., Ford, S. E., 2004. Annual Review of Ecology, Evolution, and Systematics, 35, 31.
- Lawrence, J.M., 1975. On the relationships between marine plants and sea urchins. *Oceanography and Marine Biology*, 13: 213–286.
- Leinaas, H.P. and Christie, H., 1996. Effects of removing sea urchins (*Strongylocentrotus droebachiensis*): stability of the barren state and succession of kelp forest recovery in the east Atlantic. *Oecologia*, 105: 524–536.
- Levin, P.S. and Hay, M.E., 2002. Fish-seaweed association on temperate reefs: do small-scale experiments predict large-scale patterns? *Marine Ecology Progress Series*, 232: 239–246.
- Levin, S. A., and J. Lubchenco. 2008. Resilience, Robustness, and Marine Ecosystem-based Management. *BioScience* 58:27-32.
- Levington, J. S. 1995. *Marine Biology: function, biodiversity, ecology*. Oxford University Press. New York, New York. pp. 53, 94-109.
- Lewontin, R. C. 1969. The meaning of stability. *Brookhaven Symposium of Biology* 22:13–24.
- Lindberg, D. R., J. A. Estes, and K. I. Warheit. 1998. Human influences on trophic cascades along rocky shores. *Ecological Applications* 8:880–890.
- Littler, M.M., Littler, D.S., Brooks, B.L., Lapointe, B.E., 2006. Nutrient manipulation methods for coral reef studies: A critical review and experimental field data. *Journal of Experimental Marine Biology and Ecology*, 336: 242–253.
- Lluch-Belda, D., Crawford, R.J.M., Kawasaki, T., MacCall, A.D., Parrish, R.H., Schwartzlose, R.A. and Smith, P.E., 1989. World-wide fluctuations of sardine and anchovy stocks: the regime problem. *South African Journal of Marine Science* 8, 195–205.
- Loeuille, N. and Loreau, M., 2004. Nutrient enrichment and food chains: can evolution buffer top-down control? *Theoretical Population Biology*, 65: 285–298.
- Lohrer, A. M., S. F. Thrush, and M. M. Gibbs. 2004. Bioturbators enhance ecosystem function through complex biogeochemical interactions. *Nature* 431:1092-1095
- Loney, P.E., McArthur, C., Sanson, G.D., Davies, N.W., Close, D.C., Jordan, G.J., 2006. How do soil nutrients affect within-plant patterns of herbivory in seedlings of *Eucalyptus nitens*? *Oecologia*, 150:409–420.

- Loreau, M., S. Naeem, P. Inchausti, J. Bengtsson, J. P. Grime, A. Hector, D. U. Hooper, M. A. Huston, D. Raffaelli, B. Schmid, D. Tilman, and D. A. Wardle. 2001. Ecology - Biodiversity and ecosystem functioning: Current knowledge and future challenges. *Science* 294:804-808.
- Lotze, H. K. and Worm B., 2000. Variable and complementary effects of herbivores on different life stages of bloom-forming macroalgae. *Marine Ecology Progress Series*, 200: 167–175.
- Lotze, H.K., Lenihan, H.S., Bourque, B.J., Bradbury, R.H., Cooke, R.G., Kay, M.C., Kidwell, S.M., Kirby, M.X., Peterson, C.H. and Jackson, J.B.C., 2006. Depletion, degradation, and recovery potential of estuaries and coastal seas. *Science*, 312: 1806-1809.
- Lotze, H.K. and Worm, B., 2002. Complex interactions of climatic and ecological controls on macroalgal recruitment. *Limnology and Oceanography*, 47:1734–1741.
- Lotze, H.K., Worm, B., Sommer, U., 2000. Propagule banks, herbivory and nutrient supply control population development and dominance patterns in macroalgal blooms. *Oikos*, 89: 46–58.
- Lotze, H.K., Worm, B., Sommer, U., 2001. Strong bottom-up and top-down control of early life stages of macroalgae. *Limnology and Oceanography*, 46:749–57.
- Lubchenco, J., 1983. *Littorina* and *Fucus*: effects of herbivores, substratum heterogeneity, and plant escapes during succession. *Ecology*, 64:1116–23.
- Lubchenco, J. and Menge B.A., 1978. Community development and persistence in a low rocky intertidal zone. *Ecological Monographs*, 48: 67–94.
- Ludwig, D., B. Walker, and C.S. Holling. 1997. Sustainability, stability, and resilience. *Conservation Ecology* 1 (1): 8.
- MacKenzie, B.R., 2001. Ecological hypotheses for a historical reconstruction of upper trophic level biomass in the Baltic Sea and Skagerrak. *Can. J. Fish. Aquat. Sci.* 59, 172–190
- Mackey, R.L. and Currie, D.J., 2001. The diversity–disturbance relationship: is it generally strong and peaked? *Ecology*, 82: 3479–3492.
- Marbà, N., Duarte, C.M., Holmer, M., Martínez, R., Basterretxea, G., Orfila, A., Jordi, A., Tintore, J., 2002. Effectiveness of protection of seagrass (*Posidonia oceanica*) populations in Cabrera National Park. *Environmental Conservation* 29, 509–518.
- Marchetti, R., Provini, A. and Crosa, G. 1989. Nutrient load carried by the river Po into the Adriatic Sea. *Marine Pollution Bulletin* 20, 168–172.
- Mattison, J.E., Trent, J.E., Shanks, A.L., Akin, T.B., Pearse, J.S., 1977. Movement and feeding activity of red sea urchins (*Strongylocentrotus franciscanus*) adjacent to a kelp forest. *Marine Biology* , 39:25–31.
- May, R. M. (1977). Thresholds and breakpoints in ecosystems with a multiplicity of stable states. *Nature*, 269, 471–476.
- McArdle, B.H., Anderson, M.J.; 2001. Fitting multivariate models to community data: A comment on distance-based redundancy analysis. *Ecology*, 82: 290–297.

- McClanahan, T.R. and Sala, E., 1997. A Mediterranean rocky-bottom ecosystem fisheries model. *Ecological Monographs*, 104:145–164.
- McClanahan, T.R., Cokos, B.A., Sala, E., 2002. Algal growth and species composition under experimental control of herbivory, phosphorus and coral abundance in Grovers Reef Atoll, Belize. *Marine Pollution Bulletin*, 44:441–451.
- McKinney, M.L., Lockwood, J.L., 1999. Biotic homogenization: a few winners replacing many losers in the next mass extinction. *Trends Ecol. Evol.* 14, 450–453
- McLeod, K., Lubchenco, J., Palumbi, S.R., Rosenberg, A.A., 2005. Scientific Consensus Statement on Marine Ecosystem-based Management. (15 November 2007; www.compassonline.org/marinescience/solutions_ecosystem.asp)
- McQueen, D.J., Johannes, M.R.S., Post, J.R., Stewart, T.J., Lean, D.R.S., 1989. Bottom-up and top-down impacts on freshwater pelagic community structure. *Ecol. Monogr.* 59, 289–309.
- Menge, B.A., 1992: Community regulation: under what conditions are bottom-up factors important on rocky shores? *Ecology*, 73: 755–765.
- Menge BA, Lubchenco J, Ashkenas LR, Ramsey F. 1986. Experimental separation of effects of consumers on sessile prey in the low zone of a rocky shore in the Bay of Panama: Direct and indirect consequences of food web complexity. *Journal of Experimental Marine Biology and Ecology* 100: 225–269.
- Menge, B.A., Sutherland, J.P., 1987. Community regulation: variation in disturbance, competition, and predation in relation to environmental stress and recruitment. *Am Nat* 130-730-757
- Meyer, R.A. and Worm, B., 2003. Rapid worldwide depletion of predatory fish communities. *Nature* 423, 280–283
- Micheli, F., Benedetti-Cecchi, L., Gambaccini, S., Bertocci, I., Borsini, C., Osio, G.C., Romano, F., 2005. Cascading human impacts, marine protected areas, and the structure of Mediterranean reef assemblages. *Ecological Monographs* , 75: 81–102.
- Middelboe, A.L. and Sand-Jensen, K., 2000. Long-term changes in macroalgal communities in a Danish estuary. *Phycologia*, 39: 245–257.
- Millennium Ecosystem Assessment: Strengthening Capacity to Manage Ecosystems Sustainably for Human Well Being, Volume 1, Conditions and Terms. R. Hassan et al. (eds). Washington, D.C.: Island Press, 513–549.
- Miller SL, Swanson DW, Chiappone M (2000) Rapid assessment methods and rationale for ecological assessment and monitoring of hard-bottom communities in no-take zones of the Florida Keys National Marine Sanctuary: Level II zone monitoring methods manual for the Florida Keys National Marine Sanctuary. The National Undersea Research Center, Key Largo, FL
- Mills, C.E., 2001. Jellyfish blooms: are populations increasing globally in response to changing ocean conditions? *Hydrobiologia* 451,:55–68
- Minello, T., Zimmerman, R. and Medina, R. 1994. The importance of edge for natant macrofauna in created salt marsh. *Wetlands* 14: 184–198.
- Monitoring Report - Monitoraggio per il controllo dell'ambiente marino costiero (gennaio 2005 - marzo 2006). Relazione finale Regione Puglia.

- Morris, A.W. and Riley, J.P., 1963. The determination of nitrate in sea water. *Analytica Chimica Acta*, 29: 272–279.
- Morris, L., Keough, M.J., 2003. Variation in the response of intertidal invertebrates to nutrient addition: field manipulation at two sites within Port Phillip Bay, Australia. *Marine Ecology Progress Series*, 250:35–49
- Mumby, P. J., A. R. Harborne, J. Williams, C. V. Kappel, D. R. Brumbaugh, F. Micheli, K. E. Holmes, C. P. Dahlgren, C. B. Paris, and P. G. Blackwell. 2007. Trophic cascade facilitates coral recruitment in a marine reserve. *Proceedings of the National Academy of Sciences* 104:8362-8367.
- Munda, I.M., 1974. Changes and succession in the benthic algal associations of slightly polluted habitats. *Revue Internationale d'Oceanographie Méditerranéenne*, 34: 37–52.
- Munda, I.M., 1993. Changes and degradation of seaweed stands in the northern Adriatic. *Hydrobiologia*, 260/261: 239-253.
- Murdoch, T.J.T., Glasspool, A.F., Outerbridge, M., Ward, J., Manuel, S., Gray, J., Nash, A., Coates, K.A., Pitt, J., Fourqurean, J.W., Barnes, P.A., Vierros, M., Holzer, K., Smith, S.R., 2007. Large-scale decline in offshore seagrass meadows in Bermuda. *Marine Ecology-Progress Series* 339: 123–130.
- Murray, S.N. and Littler, M.M., 1978. Patterns of algal succession in a perturbated marine intertidal community. *Journal of Phycology*, 14: 506–512.
- Naeem, S., Loreau, M., Inchausti, P., 2004. Biodiversity and ecosystem functioning: the emergence of a synthetic ecological framework. In: Loreau, M., Naeem, S., Inchausti, P. (Eds.), *Biodiversity and Ecosystem Functioning*. Oxford University Press, Oxford, pp. 3–11.
- Neckles, H.A., Wetzel, R.L., Orth, R.J., 1993. Relative effects of nutrient enrichment and grazing on epiphyte-macrophyte (*Zostera marina* L.) dynamics. *Oecologia*, 93:285–295.
- Nehring, D. 1992. Eutrophication in the Baltic Sea. In *Marine Coastal Eutrophication*, R.A. Vollenweider et al. (eds). Amsterdam: Elsevier, 673–682.
- Nelson, B.V. and Vance, R.R., 1979. Diel foraging patterns of the sea urchin, *Centrostephanus coronatus*, as a predator avoidance strategy. *Marine Biology*, 51:251–258.
- Nichols, F.H., Cloern, J.E., Luoma, S.N., Peterson D.H., 1986. The modification of an estuary. *Science* 231:567–573.
- Nydhala, F., 1976. On the optimum conditions for the reduction of nitrate to nitrite by cadmium. *Talanta*, 23: 349–357.
- Nystrom, M. and Folke, C., 2001. Spatial resilience of coral reefs. *Ecosystems*, 4: 406–417.
- Nixon S.W.; 2003. Replacing the Nile: are anthropogenic nutrients providing the fertility once brought to the Mediterranean by a great river? *Ambio*, 32: 30 –39.
- Norkko, A., Hewitt, J. E., Thrush, S. F. and Funnell, G. A. 2006a Conditional outcomes of facilitation by a habitat-modifying subtidal bivalve. *Ecology* 87, 226–234.

- Norton, T.A., Hawkins, S.J., Manley, N.L., Williams, G.A., Watson, D.C., 1990. Scraping a living: a review of littorinid grazing. *Hydrobiologia*, 193:117–138.
- Nyström, M., Folke, C., Moberg, F., 1998. Coral reef disturbance and resilience in a human dominated environment. *Trends in Ecology and Evolution*, 15: 413–417.
- Nystrom, M., 2000. Coral reef disturbance and resilience in a human-dominated environment. *Trends Ecol. Evol.* 15, 413–417
- Nystrom, M. and Folke, C., 2001. Spatial resilience of coral reefs. *Ecosystems*, 4, 406–417.
- Occhipinti-Ambrogi, A.O., Savini, D.; 2003. Biological invasions as a component of global change in stressed marine ecosystems. *Marine Pollution Bulletin*, 46: 542–551.
- Osman, R.W. and Whitlatch, R.B., 1995a. The influence of resident adults on recruitment: a comparison of settlement. *Journal of Experimental Marine Biology and Ecology*, 190: 169–198.
- Otway, N.M., Gray, C.A., Craig, J.R., McVea, T.A., Ling J.E., 1996. Assessing the impacts of deep-water sewage outfall on spatially- and temporally-variable marine communities. *Marine Environmental Research* 41:45–7.
- Owens, M.Q., 2003. Growth, reproduction and survivorship responses to food enhancement for two species of estuarine polychaetes: *Streblospio benedicti* and *Laeonereis culveri*. MS Thesis, University of North Carolina at Wilmington. 63 pp.
- Pace, M.L., Cole, J.J., Carpenter, S.R., Kitchell, J.F. 1999. Trophic cascades revealed in diverse ecosystems. *Trends in Ecology and Evolution*, 14: 483–438.
- Paine, R.T., 1966. Food web complexity and species diversity. *American Naturalist*, 100: 65–75.
- Paine, R.T., 1980. Food webs linkage interaction strength and community infrastructure. *Journal of Animal Ecology*, 49: 667–685.
- Paine, R.T. and Vadas, R.L., 1969. The effects of grazing by sea urchins, *Strongylocentrotus* spp., on benthic algal populations. *Limnology and Oceanography*, 14:710–719.
- Palacin, C., Giribet, G., Carner, S., Dantart, L., Turin, X., 1998. Low density of sea urchins influence the structure of algal assemblages in the western Mediterranean. *Journal of Sea Research*, 39:281–290.
- Pandolfi, J.M., Bradbury, R.H., Sala, E., Hughes, T.P., Bjorndal, K.A., Cooke, R.G., McArdle, D., McClenachan, L., Newman, M.J.H., Paredes, G., Warner, R.R. and Jackson, J.B.C. 2003. Global trajectories of the long-term decline of coral reef ecosystems. *Science* 301, 955–958.
- Pauly D, Christensen V, Dalsgaard, J, Froese R, Torres F (1998) Fishing down marine food webs. *Science* 279: 860
- Pauly, D., V. Christensen, S. Guenette, T. J. Pitcher, U. R. Sumaila, C. J. Walters, R. Watson, and D. Zeller. 2002. Towards sustainability in world fisheries. *Nature* 418:689-695.
- Pavia, H., Carr, H., Åberg, P., 1999. Habitat and feeding preferences of crustacean mesoherbivores inhabiting the brown seaweed *Ascophyllum nodosum* (L.) Le Jol.

- and its epiphytic macroalgae. *Journal of Experimental Marine Biology and Ecology*, 236:15–32.
- Pauly, D. and Palomares, M.L., 2005. Fishing down marine food webs: it is far more pervasive than we thought. *Bulletin of Marine Science* 76(2): 197-211.
- Pearson, T.H., Rosenberg, R., 1978. Macrobenthic succession in relation to organic enrichment and pollution of the marine environment. *Ocean Marine Biology Annual Review* 16, 229e311.
- Pedersen, M. F. and Borum, J, 1996. Nutrient control of algal growth in estuarine waters. Nutrient limitation and the importance of nitrogen requirements and nitrogen storage among phytoplankton and species of macroalgae. *Marine Ecology Progress Series*, 142: 261–272.
- Pelletier, E., P. Sargian, J. Payet, and S. Demers. 2006. Ecotoxicological effects of combined UVB and organic contaminants in coastal waters: A review. *Photochemistry and Photobiology* 82:981-993.
- Persaud AD, Williamson CE (2005) Ultraviolet and temperature effects on planktonic rotifers and crustaceans in northern temperate lakes. *Freshwater Biology*, 50, 467–476.
- Petchey, O.L., 2004. On the statistical significance of functional diversity effects. *Funct. Ecol.* 18, 297–303.
- C. H. Peterson, J. Lubchenco, in *Nature's Services: Societal Dependence on Natural Ecosystems*, G. C. Daily, Ed. (Island Press, Washington, DC, 1997), pp. 177–194.
- Pimm SL, Russell GJ, Gittleman JL, Brooks TM (1995) The future of biodiversity. *Science* 269:347–350
- Pinedo S., Garcia M., Satta M.P., Torras X., Ballesteros E., 2003. Littoral Benthic communities as indicators of environmental quality in Mediterranean waters. Second Mediterranean Symposium on Marine Vegetation - Athens, 12-13. December 2003.
- Pinnegar, J.K., Polunin, N.V.C., Francour, P., Badalamenti, F., Chemello, R., Harmelin-Vivien, M.-L., Hereu, B., Milazzo, M., Zabalan, M., D'Anna, G., Pipitone, C., 2000. Trophic cascades in benthic marine ecosystems: lessons for fisheries and protected-area management. *Environmental Conservation*, 27: 179–200.
- Pohle, D.G., V.M., Bricelj, Z., Garcia-Esquivel, 1991. The eelgrass canopy: an above-bottom refuge from benthic predators for juvenile bay scallops *Argopecten irradians*. *Marine Ecology Progress Series*, 74:47–59.
- Porter, K.G., 1976. Enhancement of algal growth and productivity by grazing zooplankton. *Science*, 192:1332–1334.
- Posey, M., Powell, C., Cahoon, L., Lindquist, D., 1995. Top down vs. bottom up control of benthic community composition on an intertidal tideflat. *Journal of Experimental Marine Biology and Ecology*, 185: 19–31.
- Posey, M.H., Alphin, T., Cahoon, L.B., Lindquist, D.G., Mallin, M.A., Nevers, M.B., 2002. Top-down versus bottom-up limitation in benthic infaunal communities: direct and indirect effects. *Estuaries*, 25: 999–1014.
- Power, M.E., Tilman, D., Estes, J.A., Menge, B.A., Bond, W.J., Mills, L.S., Daily, G., Castilla, J.C., Lubchenco, J., Paine, R.T., 1996. Challenges in the quest for keystones. *BioScience* 46, 609–620.

- Plummer, R. and Armitage D., 2007. A resilience-based framework for evaluating adaptive co-management: Linking ecology, economics and society in a complex world. *Ecological Economics*, 61 (1) : 62-74.
- Proulx, M. and Mazumder, A., 1998. Reversal of grazing impact on plant species richness in nutrient poor vs nutrient rich ecosystems. *Ecology*, 79:2581–2592.
- Przeslawski, R., S. Ahyong, M. Byrne, G. Worheide, and P. Hutchings. 2008. Beyond corals and fish: the effects of climate change on noncoral benthic invertebrates of tropical reefs. *Global Change Biology* 14:2773-2795.
- Rabitti, S., Bianchi, F., Bolfrin, A., Da Ros, L., Socal, G. Totti, C., 1994. Particulate matter and phytoplankton in Ionian Sea. *Oceanologica Acta*, 17 (3): 297–307.
- Raffaeli D (2004) How extinction patterns affect ecosystems. *Science*, 306, 1141–1142.
- Relyea, R. and Hoverman, J. (2006). Assessing the ecology in ecotoxicology: a review and synthesis in freshwater systems. *Ecology Letters*, 9, 1157–1171.
- Robinson C.D., Brown E., Craft J.A., Davies I.M., Moffat C.F., Pirie D., Robertson F., Stagg R.M., Struthers S.; 2003. Effects of sewage effluent and ethynodiol upon molecular markers of oestrogenic exposure, maturation and reproductive success in the sand goby (*Pomatoschistus minutus*, Pallas). *Aquatic Toxicology*, 62:119 –134
- Roll, S.K., Diehl, S., Cooper, S.D., 2005. Effects of grazer immigration and nutrient enrichment on an open algae-grazer system. *Oikos*, 108:386–400.
- Roberts D.E., A. Smith, P. Ajani, A.R., Davis, 1998. Rapid changes in encrusting marine assemblages exposed to anthropogenic point-source pollution: a « Beyond BACI » approach. *Marine Ecology Progress Series*, 163: 213–224.
- Rosenberg, R., Elmgren, R., Fleischer, S., Jonsson, P., Persson, G. and Dahlin, H. 1990. Marine eutrophication case studies in Sweden. *Ambio* 19, 102–108.
- Rosenberg, R., Nilsson, H.C., Diaz, R.J., 2001. Response of benthic fauna and changing sediment redox profiles over a hypoxic gradient. *Estuar. Coast. Shelf Sci.* 53, 343– 350.
- Rosenberg, A.A., Swasey, J.H., Bowman M., 2006. Rebuilding US Fisheries: progress and problems. *Frontiers in Ecology and the Environment*, 4 (6): 303–308.
- Rosenzweig, M.L. and Abramsky, Z., 1993. How are diversity and productivity related? In: Ricklefs RE, Schlüter, D (eds). *Species diversity in ecological communities*, University of Chicago Press, Chicago, Illinois, pp 52–65.
- Rothschild, B.J., Ault, J.S., Gouletquer, P., Heral, M., 1994. Decline of the Chesapeake Bay oyster population: a century of habitat destruction and overfishing. *Marine Ecology Progress Series*, 111:29-39.
- Russ, G.R., Alcala, A.C., 1996. Marine reserves: rates and patterns of recovery and decline of large predatory fish. *Ecol Appl* 6:947
- Russ, G.R., Alcala, A.C., 2003. Marine reserves: rates and patterns of recovery and decline of predatory fish, 1983–2000. *Ecological Application*, 13:1553–1565

- Russell, B.D. and Connell, S.D., 2005. A novel interaction between nutrients and grazers alters relative dominance of marine habitats. *Marine Ecology Progress Series*, 289:5–11.
- Russell, B.D. and Connell, S.D., 2007. Response of grazers to sudden nutrient pulses in oligotrophic versus eutrophic conditions. *Marine Ecology Progress Series*, 349: 73–80.
- Russell, B.D., Elsdon, T.E., Gillanders, B.M., Connell, S.D., 2005. Nutrients increase epiphyte loads: broad scale observations and an experimental assessment. *Marine Biology*, 147: 551–558.
- Russo, A.R., 1979. Dispersion and food differences between two populations of the sea urchin *Strongylocentrotus franciscanus*. *Journal of Biogeography*, 6: 407–414.
- Saiz-Salinas J.I.; 1997. Evaluation of adverse biological effects induced by pollution in the Bilbao estuary (Spain). *Environmental Pollution*, 96: 351–359.
- Sala, E., Boudouresque, C.F., Harmelin-Vivien, M., 1998. Fishing, trophic cascades, and the structure of algal assemblages: evaluation of an old untested paradigm. *Oikos* 82:425–439
- Sala, O. E., F. S. Chapin, J. J. Armesto, E. Berlow, J. Bloomfield, R. Dirzo, E. Huber-Sanwald, L. F. Huenneke, R. B. Jackson, A. Kinzig, R. Leemans, D. M. Lodge, H. A. Mooney, M. Oesterheld, N. L. Poff, M. T. Sykes, B. H. Walker, M. Walker, and D. H. Wall. 2000. Biodiversity - Global biodiversity scenarios for the year 2100. *Science* 287:1770-1774.
- Sala, E. 2004. The past and present topology and structure of Mediterranean subtidal rocky-shore food webs. *Ecosystems* 7, 333–340.
- Sala E. and Boudouresque C. F., 1997. The role of fishes in the organization of a Mediterranean sublittoral community. In *Algal communities*. *Journal of Experimental Marine Biology and Ecology*, 212: 25-44.
- Sala, E. and Graham, M.H., 2002. Community-wide distribution of predator–prey interaction strength in kelp forests. *Proceedings of the National Academy of Sciences of USA* 99:3678–3683.
- Sala, E. and Zabala, M., 1996. Fish predation and the structure of the sea urchin *Paracentrotus lividus* populations in NW Mediterranean. *Marine Ecology Progress Series*, 140: 71–81.
- Sanderson, E.W., Jaiteh, M., Levy, M.A., Redford, K.H., Wannebo, A.V. and Woolmer, G. (2002). The human footprint and the last of the wild. *Bioscience*, 52, 891–904.
- Sandulli, R., Bianchi, C.N., Cocito, S., Morgigni, M., Sgorbini, S., Silvestri, C., Morri, C. and Peirano, A., 1994. Status of some *Posidonia oceanica* meadows on the Ligurian coast influenced by the Haven oil spill. In *Atti Del 10° Congresso AIOL (Associazione Italiana Oceanologia e Limnologia)*, G. Albertelli et al. (eds). Genova, Italy: AIOL, 277–286.
- Sangiorgi, F. and Donders, T.H. 2004. Reconstructing 150 years of eutrophication in the north-western Adriatic Sea (Italy) using dinoflagellate cysts, pollen and spores. *Estuarine Coastal and Shelf Science* 60, 69–79.

- Scheffer, M., and S. R. Carpenter. 2003. Catastrophic regime shifts in ecosystems: linking theory to observation. *Trends in Ecology and Evolution* 18:648-656.
- Scheffer, M. et al., 2001 Catastrophic shifts in ecosystems. *Nature* 413, 591–596
- Scheibling, R.E., 1986. Increased macroalgal abundance following mass mortalities of sea urchins (*Strongylocentrotus droebachiensis*) along the Atlantic coast of Nova Scotia. *Oecologia*, 68: 186–198.
- Scheibling, R.E. and Hamm, J., 1991. Interactions between sea urchins (*Strongylocentrotus droebachiensis*) and their predators in field and laboratory experiments. *Marine Biology*, 110: 105–116.
- Schiel, D.R., 2006. Rivets or bolts? When single species count in the function of temperate rocky reef communities. *Journal of Experimental Marine Biology and Ecology* 338, 233–252
- Schindler, D.W., 1990. Experimental perturbations of whole lakes as tests of hypotheses concerning ecosystem structure and function. *Oikos*, 57:25–41.
- Schroder, A., Persson, L. and De Roos, A. M. 2005 Direct experimental evidence for alternative stable states: a review. *Oikos* 110, 3–19.
- Seabloom, E.W., Harpole, W.S., Reichman, O.J., Tilman, D., 2003. Invasion, competitive dominance, and resource use by exotic and native California grassland species. *Proceedings of the National Academy of Sciences USA* 100: 13384–13389.
- Sebens, K.P. 1994. Biodiversity of coral reefs: what are we loosing and why? *American Zoologist* 34, 115–133.
- Short, F.T. and Wyllie-Echeverria, S. 1996. Natural and human-induced disturbance of seagrasses. *Environmental Conservation* 23, 17–27.
- Shorta, F., Carruthersb, T., Dennisonb W., Waycottc, M., 2007 Global seagrass distribution and diversity: A bioregional model. *Journal of Experimental Marine Biology and Ecology*, 350 (1-2): 3-20.
- Silliman, B.R. and Zieman, J.C., 2001. Top-down control of *Spartina alterniflora* production by periwinkle grazing in a Virginia salt marsh. *Ecology*, 82:2830–2845.
- Smith V.H.; 2003. Eutrophication of freshwater and coastal marine ecosystems – A global problem. *Environmental Science and Pollution Research*, 10: 126–139.
- Smith, F., and J. D. Witman. 1999. Species diversity in subtidal landscapes: Maintenance by physical processes and larval recruitment. *Ecology* 80:51-69.
- Soltan, D., Verlaque, M., Boudouresque, C.F., Francourb F., 2001. Changes in Macroalgal Communities in the Vicinity of a Mediterranean Sewage Outfall After the Setting Up of a Treatment Plant. *Marine Pollution Bulletin*, 42: 59-70.
- Sousa, W., 1980. The responses of a community to disturbance: the importance of successional age and species life histories. *Oecologia*, 124: 270–279.
- Sousa, W.P., 1985. Disturbance and patch dynamics on rocky intertidal shores. In: Pickett STA, White P.S. Editors, 1985. *The ecology of natural disturbance and patch dynamics*. Academic press, London, 101–124.
- Sousa, W.P., 2001. Natural disturbance and the dynamics of marine benthic communities. In: Bertness, M.D., Hay, M.E., Gaines, S.D. (Eds.), *Marine Community Ecology*, 85-130.

- Sousa, W.P., Schroeter, S.C., Gaines, S.D., 1981. Latitudinal variation in intertidal algal community structure: the influence of grazing and vegetative propagation. *Oecologia*, 48: 297–307.
- Spalding, M.D., Green, E.P. and Rvilious, C. 2001. World Atlas of Coral Reefs. Berkeley, California: UNEP-WCMC, University of California Press.
- Stachowicz, J.J., Terwin, J.R., Whitlatch, R.B., Osman, R.W., 2002. Linking climate change and biological invasions: ocean warming facilitates nonindigenous species invasions. *Proceedings of the National Academy of Sciences USA* 99: 15497–15500.
- Steffen W, Sanderson A, Tyson PD et al. (2004) Global Change and the Earth System: A Planet Under Pressure. Springer, New York.
- Steneck, R.S., 2001 Functional groups. In *Encyclopedia of Biodiversity* (Vol. 3) (Levin, S.A., ed.), pp. 121–139, Academic Press
- Steneck, R.S. and Carlton, J.T., 2001. In: Bertness, M.D., Hay, M.E., Gaines, S.D. (Eds.), *Marine Community Ecology*, 445–468.
- Steneck, R.S., Graham, M.H., Bourque, B.J., Corbett, D., Erlandson, J.M., Estes, J.A. and Tegner, M.J. 2002. Kelp forest ecosystems: biodiversity, stability, resilience and future. *Environmental Conservation* 29, 436–459.
- Steneck, R.S. et al. (2004) Accelerating trophic-level dysfunction in kelp forest ecosystems of the Western North Atlantic. *Ecosystems* 7, 323–332
- Sterner, R.W., 1986. Herbivores' direct and indirect effects on algal populations. *Science*, 231: 605–607.
- Stewart, H.L. and Carpenter, R.C., 2003. The effects of morphology and water flow on photosynthesis of marine macroalgae. *Ecology*, 84:2999–3012.
- Stokstad E., *Science* 310, 1264 (2005).
- Strathmann, R.R. et al. (2002) Evolution of local recruitment and its consequences for marine populations. *Bull. Mar. Sci.* 70, 377–396
- Suchanek, T.H., 1994. Temperate coastal marine communities: biodiversity and threats. *American Zoologist*, 34: 100–114.
- Sugden, H., Lenz, M., Molis, M., Whal, M., Thomason, J.C., 2008. The interaction between nutrient availability and disturbance frequency on the diversity of benthic marine communities on the north-east coast of England. *Journal of Animal Ecology*, 77: 24–31.
- Syvitski, J. P. M., Vorosmarty C. J., Kettner A. J., Green P., 2005. Impact of humans on the flux of terrestrial sediment to the global coastal ocean, *Science* 308:376.
- Taylor, R., Sotka, E., Hay, M., 2002. Tissue-specific induction of herbivore resistance: seaweed response to amphipod grazing. *Oecologia*, 132:68–76.
- Tegner, M.J., Dayton P.K., 2000. Ecosystem effects of fishing in kelp forest communities. *ICES Journal of Marine Science*, 57: 579–589.
- Terlizzi A., Fraschetti S., Gianguzza P., Faimali M., Boero F.; 2001. Environmental impact of antifouling technologies: state of the art and perspectives. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 11: 311–317.

- Terlizzi A, Fraschetti S, Guidetti P, Boero F (2002) The effects of sewage discharge on shallow hard substrate sessile assemblage. *Mar Pollut Bull* 44:542–550
- Tewari, A. and Joshi, H.V., 1988. Effect of domestic sewage and industrial effluents on biomass and species diversity of seaweeds. *Botanica Marina*, 31: 389–397.
- Thibaut, T., Pinedo, S., Torras, X. and Ballesteros, E. 2005. Long-term decline of the populations of Fucales (*Cystoseira* spp. and *Sargassum* spp.) in the Alberes coast (France, north-western Mediterranean). *Marine Pollution Bulletin* 50: 1472–1489.
- Thompson, R.C., Crowe, T.P. and Hawkins, S.J. 2002. Rocky intertidal communities: past environmental changes, present status and predictions for the next 25 years. *Environmental Conservation* 29, 168–191.
- Thorson, G., 1966. Some factors influencing the recruitment and establishment of marine benthic communities. *Netherlands Journal of Sea Research* , 3: 267–293.
- Thrush, S. F. and Dayton., P. K., 2002. Disturbance to marine benthic habitats by trawling and dredging: implications for marine biodiversity. *Annual Review of Ecology and Systematics* 33:449–473.
- Thrush, S.F., Whitlatch, R.B., 2001. Recovery dynamics in benthic communities: balancing detail with simplification. In: Reise K (ed) *Ecological comparisons of sedimentary shores*. Springer-Verlag, Berlin, 297–316.
- Thrush, S. F., R. B. Whitlatch, R. D. Pridmore, J. E. Hewitt, V. J. Cummings, and M. Maskery. 1996. Scale-dependent recolonization: the role of sediment stability in a dynamic sandflat habitat. *Ecology* 77:2472–2487.
- Thrush, S. F., J. E. Hewitt, P. K. Dayton, G. Coco, A. M. Lohrer, A. Norkko, J. Norkko, and M. Chiantore. 2009. Forecasting the limits of resilience: integrating empirical research with theory. *Proceedings of the Royal Society B: Biological Sciences* 276:3209–3217.
- Thrush, S. F., J. E. Hewitt, C. W. Hickey, and S. Kelly. 2008. Multiple stressor effects identified from species abundance distributions: Interactions between urban contaminants and species habitat relationships. *Journal of Experimental Marine Biology and Ecology* 366:160–168.
- Tilman, D., 1977: Resource competition between planktonic algae: an experimental and theoretical approach. *Ecology*, 58: 338–348.
- Tilman, D., 1987. Secondary succession and the pattern of plant dominance along experimental nitrogen gradients. *Ecological Monographs*, 57:189–214.
- Tudela, S., 2004. Ecosystem Effects of Fishing in the Mediterranean: An Analysis of the Major Threats of Fishing Gear and Practices to Biodiversity and Marine Habitats. Studies and Reviews. General Fisheries Commission for the Mediterranean 74. Rome: FAO.
- Turner, S.J., Thrush, S.F., Hewitt, J.E., Cummings, V.J., Funnell, G., 1999. Fishing impacts and the degradation or loss of habitat structure. *Fisheries Management and Ecology*, 6:401–420.
- Tuya, F., Boyra, A., Sanchez-Jerez, P., Barbera, C., Haroun, R.J., 2004. Relationships between rocky-reef fish assemblages, the sea urchin *Diadema antillarum* and macroalgae throughout the Canarian Archipelago. *Marine Ecology Progress Series* 278:157–169.

- Underwood, A.J., Chapman, M.G., 1998. Spatial analyses of intertidal assemblages on sheltered rocky shores. *Australian Journal of Ecology* 23, 138–157.
- UNEP/FAO/WHO. 1996. Assessment of the State of Eutrophication in the Mediterranean Sea. MAP Technical Series 106. Athens: UNEP.
- Valentine, J.F. and Heck, K.L., 1991. The role of sea urchin grazing in regulating subtropical seagrass meadows: evidence from field manipulations in the Northern Gulf of Mexico. *Journal of Experimental Marine Biology and Ecology*, 154: 215–230.
- Valiela, I., Bowen, J.L. and York, J.K., 2001. Mangrove forests: one of the world's threatened major tropical environments. *BioScience* 51, 807–815.
- Valiela, I., McClelland, J., Hauxwell, J., Behr, P.J., Hersh, D., Foreman, K., 1997. Macroalgal blooms in shallow estuaries: controls and ecophysiological and ecosystem consequences. *Limnology and Oceanography*, 42: 1105–1118.
- Van Beusekom, J.E.E., 2005. A historic perspective on Wadden Sea eutrophication. *Helgoland Marine Research* 59, 45–54.
- Van Nes, E. H., and M. Scheffer. 2007. Slow recovery from perturbations as a generic indicator of a nearby catastrophic shift. *American Naturalist* 169:738–747.
- Venter, O., Brodeur, N.N., Nemiroff, L., Belland, B., Dolinsek, I.J. and Grant, J.W.A., 2006. Threats to endangered species in Canada. *Bioscience*, 56, 903–910.
- Verlaque, M. and Nedelec, H., 1983. Biologie de *Paracentrotus lividus* (Lamark) sur substratum rocheux en Corse (Méditerranée, France): alimentation des adultes. *Vie et Milieu/Life and Environment*, 33: 191–202.
- Vinebrooke, R. D., K. L. Cottingham, J. Norberg, M. Scheffer, S. I. Dodson, S. C. Maberly, and U. Sommer. 2004. Impacts of multiple stressors on biodiversity and ecosystem functioning: the role of species co-tolerance. *OIKOS* 104:451–457.
- Vitousek PM, Mooney HA, Lubchenco J, Melillo JM (1997) Human domination of Earth's ecosystems. *Science* 277: 494–499
- Walker, B., C. S. Holling, S. R. Carpenter, and A. Kinzig. 2004. Resilience, adaptability and transformability in social-ecological systems. *Ecology and Society*, 9(2): 5
- Wallentinus, I., 1984. Comparisons of nutrient uptake rates for Baltic macroalgae with different thallus morphologies. *Marine Biology*, 80:215–225.
- Ware, D. M. and Thomson, R. E. 2005 Bottom-up ecosystem trophic dynamics determine fish production in the Northeast Pacific. *Science* 308, 1280–1284.
- Watson, D.C. and Norton, T.A., 1985. Dietary preferences of the common periwinkle, *Littorina littorea* (L.). *Journal of Experimental Marine Biology and Ecology*, 88:193–211.
- Weijerman, M., Lindeboom, H. and Zuur, A. F. 2005 Regime shifts in the ecosystems of the North Sea and Wadden Sea. *Mar. Ecol. Progr. Ser.* 298, 21–39.
- Wilkie, M.L. and Fortuna, S. 2003. Status and Trends in Mangrove Area Extent Worldwide. Forest Resources Assessment Working Paper 63. Rome: Forest Resources Division, FAO

- Wilkinson, C.R. (ed.) 2004. Status of Coral Reefs of the World: 2004. Volumes 1 and 2. Townsville, Australia: Australian Institute of Marine Science.
- Williams, S.L. and Ruckelshaus, M.H., 1993. Effects of nitrogen availability and herbivory on eelgrass (*Zostera marina*) and epiphytes. *Ecology*, 74: 904–918.
- Wilson, S.D. and Tilman, D., 2002. Quadratic variation in old-field species richness along gradients of disturbance and nitrogen. *Ecology*, 83:492–504.
- Wilson, S., Blake, C., Berges, J.A., Maggs, C.A., 2004. Environmental tolerances of free-living coralline algae (maerl): implications for European marine conservation. *Biological Conservation*, 120:283–293
- Witman, J.D., 1987. Subtidal coexistence: storm, grazing, mutualism, and the zonation of kelp and mussels. *Ecological Monographs*, 57: 167–187.
- Witman, J.D. and Dayton, P.K., 2001. Rocky subtidal communities. In: Bertness, M.D., Gaines, S.D., Hay, M.E. (Eds.), *Marine Community Ecology*, pp. 339–366.
- Wolff, W.J. 1997. Development of the conservation of Dutch coastal waters. *Aquatic Conservation: Marine and Freshwater Ecosystems* 7, 165–177.
- Worm, B., Barbier, E.B., Beaumont, N., Duffy, J.E., Folke, C., Halpern, B.S., Jackson, J.B.C., Lotze, H.K., Micheli, F., Palumbi, S.R., Sala, E., Selkoe, K.A., Stachowicz, J.J., Watson R, 2007. Biodiversity Loss in the Ocean: How Bad Is It? *Science*, 316: 1281-1284.
- Worm, B. and Chapman, A.R.O., 1998: Relative effects of elevated grazing pressure and competition by a red algal turf on two post-settlement stages of *Fucus evanescens* C. AG. *Journal of Experimental Marine Biology and Ecology*, 220: 247–268.
- Worm, B. and Lotze, H.K., 2006. Effects of eutrophication, grazing, and algal blooms on rocky shores. *Limnology and Oceanography*, 51: 569–579.
- Worm, B., Lotze, H.K., Boström, C., Engkvist, R., Labanauskas, V., Sommer, U., 1999: Marine diversity shift linked to interactions among grazers, nutrients and dormant propagules. *Marine Ecology Progress Series*, 185: 309–314.
- Worm, B., Lotze, H.K., Hillebrand, H., Sommer, U., 2002. Consumer versus resource control of species diversity and ecosystem functioning. *Nature*, 417: 848–851.
- Worm, B., Reusch, T.B.H., Lotze, H.K., 2000. In situ Nutrient Enrichment: Methods for Marine Benthic Ecology. *International Review of Hydrobiolgy*, 85: 359–375.
- Wright, D.H., Curie, D.J., Maurer, B.A., 1993. Energy supply and patterns of species richness on local and regional scales. In *Species diversity in ecological communities* (ed. R. Ricklefs and D. Schlüter), University of Chicago Press pp. 66–74.
- Zabala, M. and Ballesteros, E., 1989. Surface-dependent strategies and energy flux in benthic marine communities or, why corals do not exist in the Mediterranean. *Scientia marina*, 53: 3–17.
- Zavaleta, E. S., Shaw, M. R., Chiariello, N. R., Mooney, H. A., Field, C. B., 2003. Additive effects of simulated climate changes, elevated CO₂, and nitrogen deposition on grassland diversity. *Proceedings of the National Academy of Sciences (USA)* 100:7650–7654.

References

- Zeidberg, L.D. and Robison, B.H., 2007. Invasive range expansion by the Humboldt squid, *Dosidicus gigas*, in the eastern North Pacific. *Proceedings of the National Academy of Sciences USA*, 104:12946–12948.