

References

- [1] W. ARENDT, A. BUKHALOV: Integral representations of resolvents and semigroups, *Forum Math.* **6** (1994), 111-135.
- [2] P. AUSCHER, J.M. MARTELL: Weighted norm inequalities, off-diagonal estimates and elliptic operators. Part I: General operator theory and weights, *Adv. Math.*, **212** n.1 (2007), 225-276.
- [3] P. AUSCHER, B. BEN ALI: Maximal inequalities and Riesz transform estimates on L^p spaces for Schrödinger operators with nonnegative potentials *Annales de L'Institut Fourier*, **57** n.6 (2007), 1975-2013.
- [4] M. BERTOLDI, L. LORENZI: *Analytical Methods for Markov Semigroups*, Chapman & Hall /CRC 2007.
- [5] V. I. BOGACHEV, G. DA PRATO, M. RÖCKNER: Existence of solutions to weak parabolic equations for measures, *Proc. London Math. Soc.*, **88** (2004), 753-774.
- [6] V. BOGACHEV, N.V. KRILOV, M. RÖCKNER: Elliptic equations for measures: Regularity and global bounds of densities, *Journal de Mathmatiques pures et appl.*, **85** (2006), 743-757.
- [7] V. BOGACHEV, M. RÖCKNER, S.V. SHAPOSHNIKOV: Global regularity and estimates of solutions of parabolic equations for measures, *Theory Probab. Appl.*, **50** n.4 (2006), 652-674.
- [8] V. BOGACHEV, M. RÖCKNER, S.V. SHAPOSHNIKOV: Estimates of densities of stationary distributions and transition probabilities of diffusion processes,
- [9] L. A. CAFFARELLI, I. PERAL: On $W^{1,p}$ Estimates for Elliptic Equations in Divergence Form, *Communication on Pure and Applied Mathematics*, **51** (1998), 1-21.
- [10] P. CANNARSA, V. VESPRI: Generation of analytic semigroups in the L^p topology by elliptic operators in \mathbb{R}^N , *Israel. Journal of Mathematics*, **61** N.3 (1988), 235-255.

- [11] A. CARBONARO, G. METAFUNE, C. SPINA, Parabolic Schrödinger operators, *J. Math. Anal. Appl.*, to appear.
- [12] T. COULHON: Dimension à l'infini d'un semigroupe analytique, *Bull. Sci. math* **114** (1990), 485-500.
- [13] E.B. DAVIES : *Heat kernels and spectral theory*, Cambridge University Press, (1989).
- [14] E.B. DAVIES, B. SIMON: Ultracontractivity and the heat kernel of Schrödinger operators and Dirichlet Laplacians, *J. Funct. Anal.* **59** (1984), 335-395.
- [15] J. DODZIUK: *Eigenvalues of the Laplacian and the heat equation*, Amer. Math. Monthly **88** (1981), 685-695.
- [16] K.J. ENGEL, R. NAGEL : *One-parameter semigroups for linear evolution equations*, Graduate Texts in Mathematics **194**, Springer Verlag, New York, (2000).
- [17] A. FRIEDMAN: *Partial Differential Equations of parabolic Type*, Prentice Hall, New Jersey, 1964
- [18] W. GAO, Y. JIANG: L^p Estimate for parabolic Schrödinger operator with certain potentials, *J. Math. Anal. Appl.*, **310** (2005), 128-143.
- [19] T. KATO: L^p Theory of Schrödinger operators with a singular potentials. Aspects of positivity in functional analysis, *North-Holland Math. Stud.*, **122** (1986), 63-78.
- [20] N.V. KRYLOV: *Lectures on Elliptic and Parabolic Equations in Hölder Spaces* Graduate Studies in Mathematics **12**, American Mathematical Society, (1996).
- [21] N.V. KRYLOV: Some properties of traces for stochastic and deterministic parabolic weighted Sobolev spaces, *J. Funct. Anal.* **183** (2001), 1-41.
- [22] K. KURATA: An estimate on the heat kernel of magnetic Schrödinger operators and uniformly elliptic operators with non-negative potentials, *J. London Math. Soc.*, **62** (2000), 885-903.
- [23] O.A. LADYŽENSKAJA, V.A. SOLONNIKOV, N.N. URAL'CEVA: *Linear and Quasi-linear Equations of Parabolic Type* Translations of Mathematical Monographs, **23**, American Mathematical Society, (1967).
- [24] GARY M. LIEBERMAN: *Second order parabolic differential equations*, World Scientific, Singapore, (1996).
- [25] A. LUNARDI: *Analytic semigroups and optimal regularity in parabolic problems*, Progress in Nonlinear Differential Equations and Their Applications **16**, Birkhäuser 1995.

- [26] G. METAFUNE, D. PALLARA: Discreteness of the spectrum for some differential operators with unbounded coefficients in \mathbb{R}^N , *Rend. Mat. Acc. Lincei* **11** (2000), 9-19.
- [27] G. METAFUNE, D. PALLARA, A. RHANDI: *Global Properties of Transition Probabilities of Singular Diffusions*, preprint (2006).
- [28] G. METAFUNE, D. PALLARA, A. RHANDI: Kernel estimates for Schrödinger operators, *J. evol. equ.*, **6** (2006), 433-457.
- [29] G. METAFUNE, D. PALLARA, M. WACKER: Feller semigroups on \mathbb{R}^N , *Semigroup Forum* **65** (2002), 159-205.
- [30] G. METAFUNE, D. PALLARA, M. WACKER: Compactness properties of Feller semigroups, *Studia Math.* **153** (2002), 179-206.
- [31] G. METAFUNE, J. PRUSS, A. RHANDI, R. SCHNAUBELT: L^p Regularity for elliptic operators with unbounded coefficients, *Advances in Differential Equations*, **10 n.10** (2005), 1131-1164.
- [32] G. METAFUNE, C. SPINA: An integration by parts formula in Sobolev spaces, *Mediterranean Journal of Mathematics*, to appear.
- [33] G. METAFUNE, C. SPINA: *Heat kernel bounds for certain Schrödinger operators with unbounded potentials*, Houston J. Math., to appear.
- [34] G. METAFUNE, C. SPINA: *Kernel estimates for a class of certain Schrödinger semigroups*, *Journal of Evolution Equations*, **7** (2007), 719-742.
- [35] J. MOSER: A Harnack inequality for Parabolic Differential Equations, *Communications on Pure and Applied Mathematics*, **vol. XVII** (1964), 101-134.
- [36] OLVER: *Asymptotic and special functions*, Academic press, 1974.
- [37] N. OKAZAWA: An L^p theory for Schrödinger operators with nonnegative potentials, *J. Math. Soc. Japan*, **36** (1984), 675-688.
- [38] E. PRIOLA: On a class of Markov type semigroups in uniformly continuous and bounded function spaces, *Studia Math.*, **136** (1999), 271-295.
- [39] M. REED, R. SIMON: Method of modern mathematical physics Vol.2 Fourier Analysis, Self-Adjointness, *Academic Press INC, New York*, (1975).
- [40] M. REED, B. SIMON: *Methods of modern mathematical physics*, Vol.4, Academic Press, 1978.
- [41] Z. SHEN: L^p Estimates for Schrödinger operators with certain potentials, *Annales de l'institut Fourier*, **45-2** (1995), 513-546.

- [42] Z. SHEN: Bounds of Riesz Transform on L^p Spaces for Second Order Elliptic Operators *Annales de l'institut Fourier*, **55-1** (2005), 173-197.
- [43] B. SIMON: Schrödinger semigroups, *Bull. Amer. Math. Soc.*, **7** (1982), 1131-1164.
- [44] B. SIMON: *Functional Integration and Quantum Physics*, Academic Press, 1979.
- [45] A. SIKORA: On-diagonal estimates on Schrödinger semigroup kernels and reduced heat kernels, *Commun. Math. Phys.*, **188** (1997), 233-249.
- [46] C. SPINA: Kernel estimates for a class of Kolmogorov semigroups, *Archiv der mathematik*, to appear.
- [47] E.M. STEIN: *Singular integrals and differentiability properties of functions*, Princeton Mathematical Series, No. 30 Princeton University Press, Princeton, N.J., (1970).
- [48] J.O. STRÖMBERG, A. TORCHINSKY: Weighted Hardy spaces *Lectures Notes in Mathematics*, **1381** Springer-Verlag (1989).
- [49] H. TANABE: *Equations of evolution*, Monographs and Studies in Mathematics 6 London- San Francisco- Melbourne: Pitman (1979).
- [50] J. VOIGT: Absorption Semigroups, Their Generators and Schrödinger Semigroups *J. Funct. Anal.*, **67** (1986), 167-205.
- [51] E.C. TITCHMARSH: *Eigenfunction expansions associated with second-order differential equations, Part II*, Oxford University Press, 1958.