# Bibliography

[1] A. Albanese, M. Campiti, E. Mangino, *Approximation formulas for $C_0$-semigroups and their resolvent operators,* J. Applied Funct. Anal. **1** (2006), no. 3, 343–358.

[2] F. Altomare, *Limit semigroups of Bernstein-Schnabl operators associated with positive projection,* Ann. Sc. Norm. Sup. Pisa Cl. Sci., s. IV **16** (1989), 259–279.

[3] F. Altomare, *Lototsky-Schnabl operators on compact convex sets and their associated limit semigroups,* Mh. Math. **114** (1992), 1–13.

[4] F. Altomare, *Lototsky-Schnabl operators on the unit interval,* C. R. Acad. Sci. Paris **313** (1991), Série I, 371–375.

[5] F. Altomare, *Lototsky-Schnabl operators on the unit interval and degenerate diffusion equations,* in: Progress in Functional Analysis (K.D. Bierstedt, J. Bonet, J. Horváth and M. Maestre Eds.), Proc. Internat. Funct. Anal. Meeting on the occasion of the $60^{\text{th}}$ birthday of M. Valdivia, Peniscola, Spain, October 22–27, 1990, North-Holland Math. Studies 170, 259–277, North-Holland Publishing Co., Amsterdam, 1992.

[6] F. Altomare, R. Amiar, *Approximation by Positive Operators of the $C_0$-semigroups associated with one-dimensional diffusion equations, Part I,* Numer. Func. Anal. Optim. **26** (2005), no. 1, 1–16.

[7] F. Altomare, R. Amiar, *Approximation by Positive Operators of the $C_0$-semigroups associated with one-dimensional diffusion equations, Part II,* Numer. Func. Anal. Optim. **26** (2005), no. 1, 17–33.

[8] F. Altomare, A. Attalienti, *Degenerate evolution equations in weighted continuous function spaces, Markov processes and the Black-Scholes equation, Part I–II* Results Math. **42** (2002), 193–228.

[9] F. Altomare, M. Campiti, Korovkin-type Approximation Theory and its Applications, *De Gruyter Studies in Mathematics* **17** W. De Gruyter, Berlin-New York, 1994.

[10] F. ALTOMARE, I. CARBONE, *On a new sequence of positive linear operators on unbounded intervals,* Rend. Circ. Mat. Palermo Serie II, Suppl. **40** (1996), 23–36.

[11] F. ALTOMARE, I. CARBONE, *On some degenerate differential operators on weighted function spaces,* J. Math. Analysis Appl. **213** (1997), 308–333.

[12] F. ALTOMARE, V. LEONESSA, I. RAŞA, *Bernstein-Schnabl operators on the unit interval,* Zeit. Anal. Anwend. (in press).

[13] F. ALTOMARE, E. M. MANGINO, *On a generalization of Baskakov operators,* Rev. Roumaine Math. Pures Appl. **44** (1999), 5–6, 683–705.

[14] F. ALTOMARE, E. M. MANGINO, *On a class of elliptic - parabolic equations on unbounded intervals,* Positivity **5** (2001), 239–257.

[15] F. ALTOMARE, I. RAŞA *On some classes of diffusion equations and related approximation problems,* Trends and Applications in Constructive Approximation (M.G. de Bruin, D.H. Mache, J. Szabados, Eds.), Internat. Series of Numerical Mathematics, **151** (2005), Birkhäuser Verlag, Basel, 13–26.

[16] F. ALTOMARE, S. ROMANELLI, *On some classes of Lototsky-Schnabl operators,* Note Mat. **12** (1992), 1–13.

[17] W. ARENDT, C. BATTY, M. HIEDER, F. NEUBRANDER, Vector-valued Laplace Transforms and Cauchy Problems, *Monographs in Mathematics* **96** Birkhäuser-VerlagBasel, 2001.

[18] A. ATTALIENTI, M. CAMPITI, *Degenerate Evolution Problems and Beta-type Operators* Studia Math., **140** (2000), no. 2, 117–139.

[19] A. ATTALIENTI, M. CAMPITI, *Semigroups generated by ordinary differential operators in $L^1(I)$,* Positivity **8** (2004), no. 1, 11–30.

[20] P. L. BUTZER, *Linear combinations of Bernstein polynomials,* Can. J. Math., **4** (1953), 559–567

[21] P. L. BUTZER, R. J. NESSEL, Fourier Analysis and Approximation, *Vol. I, Mathematische Reihe* **40** Birkhäuser Verlag, Basel, 1971.

[22] M. CAMPITI, *A generalization of Stancu-Mühlbach operators,* Constr. Approx. **7** (1991), 1–18.

[23] M. CAMPITI, *Limit semigroups of Stancu-Mühlbach operators associated with positive projections,* Ann. Scuola Norm. Sup. Pisa, Cl. Sci. (4) **19** (1992), no. 1, 51–67.

[24] M. Campiti, G. Metafune, *Solutions of abstract Cauchy problems approximated by Stancu-Schnabl-type operators,* Atti dell'Accademia delle Scienze di Torino **130** (1996), 81–93.

[25] M. Campiti, G. Metafune, *Evolution equations associated with recursively defined Bernstein-type operators,* J. Approx. Theory **87** (1996), no. 3, 270–290.

[26] M. Campiti, G. Metafune, *Approximation of solutions of some degenerate parabolic problems,* Numer. Funct. Anal. and Optimiz. **17** (1996), no. 1&2, 23–35.

[27] M. Campiti, G. Metafune, *Approximation properties of recursively defined Bernstein-type operators,* J. Approx. Theory **87** (1996), no. 3, 243–269.

[28] M. Campiti, G. Metafune, D. Pallara, *On some averages of trigonometric interpolating operators,* in "Approximation Theory, Wavelets and Applications", (S. P. Singh ed.), Acquafredda di Maratea, 16–26 maggio 1994, Kluwer Academic Publishers, 1995, 303–313.

[29] M. Campiti, G. Metafune, D. Pallara, *One-dimensional Feller semigroups with reflecting barriers,* J. Math. Anal. & Appl. **244** (2000), 233–250.

[30] M. Campiti, S. P. Ruggeri, $C_0$-*semigroups in spaces of $2\pi$-periodic continuous functions generated by a second-order differential operator,* Internat. J. Pure Appl. Math. **7** (2003), no. 1, 27–48.

[31] M. Campiti, I. Raşa, *On a best extension property with respect to a linear operator,* Applicable Analysis **64** (1997), 189–202.

[32] M. Campiti, I. Raşa, *Bernstein-Stancu operators on the standard simplex,* Math. Balkanica (N.S.) **17** (2003), no. 3-4, 239–257.

[33] M. Campiti, I. Raşa, C. Tacelli, *Steklov operators and their associated semigroups,* to appear in Acta Sci. Math. (Szeged), 2007.

[34] M. Campiti, I. Raşa, C. Tacelli, *Steklov operators and semigroups in weighted spaces of continuous real functions,* in print in Acta Math. Hungarica (Springer), 2007, DOI 10.1007/s10474-007-7113-3, Online version at http://www.springerlink.com/content/6706t08r2q4g6v67.

[35] M. Campiti, S. P. Ruggeri, *Approximation of semigroups and cosine functions in spaces of periodic functions,* Applicable Analysis **86** (2007), no. 2, 167–186.

[36] M. Campiti, C. Tacelli, *Rate of convergence in Trotter's approximation theorem,* in print in Constr. Approx., 2008, DOI 10.1007/s00365-008-9017-z, Online version at http://www.springerlink.com/content/d1055v5u47138l27.

[37] M. Campiti, C. Tacelli, *Trotter's approximation of semigroups and best order of convergence in $C^{2,\alpha}$-spaces,* preprint, 2007.

[38] M. Campiti, C. Tacelli, *Approximation processes for resolvent operators,* to appear in Calcolo, 2008.

[39] M. Campiti, C. Tacelli, Quantitative approximation of semigroups and resolvent operators by iterates of Stancu operators, *in: Proc. $12^{th}$ Internat. Conf. on Approximation Theory, San Antonio, Texas, March 4–8, 2008,* Approximation Theory XII (ed. M. Neamtu, L.L. Schumaker), Nashboro Press, pp. 50-59.

[40] M. Campiti, C. Tacelli, *Direct sums of Voronovskaja's type formulas,* to appear in Rocky Mountain J. Math., 2008.

[41] M. Campiti, C. Tacelli, *Best perturbations of Bernstein-Durrmeyer operators on the simplex,* preprint, 2007.

[42] M. Campiti, C. Tacelli, Steklov operators in spaces of continuous functions in two variables, *Proc. Internat. Conf. on Numerical Analysis and Approximation Theory, Cluj-Napoca, Romania, July 5–8,2006* Casa cartii de Stiinta, pp. 141–154.

[43] M. Campiti, C. Tacelli, *Quantitative estimates in the approximation of cosine functions,* preprint, 2007.

[44] Ph. Clément, C. A. Timmermans, *On $C_0$-semigroups generated by differential operators satisfying Ventcel's boundary conditions,* Indag. Math. **89** (1986), 379–387.

[45] R. A. DeVore, The approximation of continuous functions by positive linear operators, *Lecture notes in mathematics,* **293** Springer Verlag, 1972.

[46] R. A. DeVore, G. G. Lorentz, Constructive Approximation, *Grundlehren der mathematischen Wissenschaften* **303** Springer Verlag, Berlin-Heidelberg, 1993.

[47] Z. Ditzian, *A global inverse theorem for combinations of Bernstein operators,* J. Approx. Theory **26** (1979), 277–292.

[48] K. J. Engel, R. Nagel, One-Parameter Semigroups for Linear Evolution Equations, *Graduate Texts in Mathematics,* **194** Springer, NewYork, Berlin, Heildelberg, 2000.

[49] S. N. ETHIER, *A class of degenerate diffusion processes occurring in population genetics,* Comm. Pure Appl. Math. **29** (1976), 483–493.

[50] H. O. FATTORINI, Second Order Linear Differential Equations in Banach Spaces, *North-Holland,* **108** North-Holland, Amsterdam, New York, Oxford, 1985.

[51] G. FELBECKER, *Über verallgemeinerte Stancu-Mühlbach operatoren,* Numer. Anal. **53** (1973), 188–189.

[52] W. FELLER, *Diffusion processes in genetics,* Proc. 2nd Berkeley Sympos. Math. Statist. and Probab. (1951), 227–246.

[53] W. FELLER, *Diffusion processes in one dimension,* Trans. Amer. Math. Soc. **77** (1954), 1–31.

[54] W. FELLER, *The parabolic differential equations and the associated semi-groups of transformation* Ann. of Math. **55** (1952), 468–519.

[55] H. GONSKA, I. RAŞA, *The limiting semigroup of the Bernstein iterates: degree of convergence,* Acta Math. Hungar. **111** (2006), 111–122.

[56] S. KARLIN, Z. ZIEGLER, *Iteration of positive approximation operators,* J. Approx. Theory **3** (1970), 310–339.

[57] P.D. LAX AND R. D. RICHTMYER, *Survey of the stability of linear finiie difference equations,* Comm. Pure Appl. Math. **9** (1956), 267–293.

[58] G. G. LORENTZ, Bernstein Polynomials, *2nd edition, Chelsea, New York, 1986.*

[59] S. MILELLA, Equazioni di evoluzione su intervalli reali, semigruppi e loro approssimazione, *Ph.D. Thesis,* University of Bari, 2006.

[60] MÜHLBACH G., *Verallgemeinerung der Bernstein-und der Lagrange-polynome,* Rev. Roumaine Math. Pures. Appl. **15** (1970), 1235–1252.

[61] MÜHLBACH G., *Operatoren vom der Bernsteinschen Typ,* J. Approx. Theory **3** (1970), 274–292.

[62] E. MANGINO, I. RAŞA, *A quantitative version of Trotter's theorem,* to appear in J. Approx. Theory, 2007.

[63] I. P. NATANSON, Constructive Function Theory, *Vol. 1: Uniform Approximation,* Frederick Ungar. Publ., New York, 1964.

[64] A. PAZY, Semigroups of Linear Operators and Applications to Partial Differential Equations, *Springer,* Berlin, 1983.

[65] T. VLADISLAV, I. RAŞA, *Analiză Numeică,* Editura Technică, Cluj-Napoca, 1999.

[66] STANCU D. D., *On a new positive linear polynomial operator,* Proc. Japan Acad. **44** (1968), 221–224.

[67] STANCU D. D., *Approximation of functions by a new class of linear polynomial operators,* Rev. Roumaine Math. Pures Appl. **13** (1968), 1173–1194.

[68] M. SOVA, *Cosine operator functions,* Rozprawy Matematyczne, **49** (1966), 1–47.

[69] C. A. TIMMERMANS, *On $C_0$-semigroups in a space of bounded continuous functions in the case of entrance or natural boundary points,* in: *Approximation and Optimization* (J. A. Gómez Fernández *et al.* eds.), Springer (1988), 209–216.

[70] H. F. TROTTER, *Approximation of semi-groups of operators,* Pacific J. Math. **8** (1958), 887–919.