

Bibliografia

- [1] D. G. ARONSON - J. SERRIN, *Local behaviour of solutions of quasi-linear parabolic equations*, Arch. Rat. Mech. Anal., 25 (1967), pp. 81–123.
- [2] E. DiBENEDETTO, *Degenerate Parabolic Equations*, Springer-Verlag, New York, 1993.
- [3] E. DiBENEDETTO, *Partial Differential Equations*, Birkhäuser, Boston, 1995.
- [4] E. DiBENEDETTO - U. GIANAZZA - V. VESPRI, *Local clustering of the non-zero set of functions in $W^{1,1}(E)$* , Rendiconti dei Lincei, 17 (2006), pp. 223–225.
- [5] E. DiBENEDETTO - U. GIANAZZA - V. VESPRI, *Forward, backward and elliptic harnack inequalities for non-negative solutions to certain singular parabolic partial differential equations*, preprint IMATI-CNR 12PV07/12/9, (2007).
- [6] E. DiBENEDETTO - U. GIANAZZA - V. VESPRI, *Harnack estimates for quasi-linear degenerate parabolic differential equations*, Acta Math., 200 (2008), pp. 181–209.
- [7] L. C. EVANS, *Partial Differential Equations*, American Mathematical Society, U. S. A., 1998.
- [8] W. FELLER, *Über die Lösungen der linearen partiellen Differentialgleichungen zweiter Ordnung vom elliptischen Typus*, Math. Ann., 102 (1930), pp. 633–649.
- [9] E. GAGLIARDO, *Ulteriori proprietà di alcune classi di funzioni in più variabili*, Ricerche Mat., 8 (1959), pp. 24–51.
- [10] U. GIANAZZA - V. VESPRI, *Parabolic De Giorgi classes of order p and the harnack inequality*, Calc. Var., 26(3) (2006), pp. 379–399.
- [11] D. GILBARG - N. S. TRUDINGER, *Elliptic Partial Differential Equations of Second Order*, Springer - Verlag, Berlin, 1977.
- [12] E. GIUSTI, *Metodi diretti nel calcolo delle variazioni*, Unione Matematica Italiana, Bologna, 1994.
- [13] J. HADAMARD, *Extension à l'équation de la chaleur d'un théorème de A. Harnack*, Rend. Circ. Mat. Palermo (2), 3 (1954), pp. 337–346 (1955).
- [14] N. V. KRYLOV - M. V. SAFONOV, *A property of the solutions of parabolic equations with measurable coefficients*, Izv. Akad. Nauk SSSR Ser. Mat., 44 (1980), pp. 161–175, 239.
- [15] J. MOSER, *On Harnack's theorem for elliptic differential equations*, Comm. Pure Appl. Math., 14 (1961), pp. 577–591.
- [16] J. MOSER, *A Harnack inequality for parabolic differential equations*, Comm. Pure Appl. Math., 17 (1964), pp. 101–134.
- [17] L. NIRENBERG, *On elliptic partial differential equations*, Ann. Scuola Norm. Sup. Pisa (3), 13 (1959), pp. 115–162.
- [18] B. PINI, *Sulla soluzione generalizzata di wiener per il primo problema di valori al contorno nel caso parabolico*, Rend. Sem. Mat. Univ. Padova, 23 (1954), pp. 422–434.
- [19] J. SERRIN, *On the Harnack inequality for linear elliptic equations*, J. Analyse Math., 4 (1955–56), pp. 292–308.
- [20] J. SERRIN, *Local behavior of solutions of quasi-linear equations*, Acta Math., 111 (1964), pp. 247–302.

- [21] N. S. TRUDINGER, *On Harnack type inequalities and their application to quasilinear elliptic equations.*, Commun. Pure Appl. Math., 20 (1967), pp. 721–747.
- [22] N. S. TRUDINGER, *Pointwise estimates and quasi-linear parabolic equations*, Comm. Pure Appl. Math., 21 (1968), pp. 205–226.
- [23] L. VON LICHTENSTEIN, *Beiträge zur Theorie der linearen partiellen Differentialgleichungen zweiter Ordnung vom elliptischen Typus. Unendliche Folgen positiver Lösungen*, Palermo Rend., 33 (1912), pp. 201–211.
- [24] D. V. WIDDER, *The heat equation*, Academic Press [Harcourt Brace Jovanovich Publishers], New York, 1975. Pure and Applied Mathematics, Vol. 67.