

Bibliografia

- [1] Abatangelo, V., Larato, B. Translation planes with an automorphism group isomorphic to $SL(2,5)$ Combinatorics '84 (Bari, 1984), 1-7, North-Holland Math. Stud., 123, North-Holland, Amsterdam, 1986.
- [2] André, J. Über nicht-Desarguessche Ebenen mit transitiver Translationsgruppe. Math. Z. 60, (1954), 156–186.
- [3] Bader, L. Some new examples of flocks of $Q^+(3, q)$. Geom. Ded. 27 (1988), 213-218.
- [4] Bader, L. e Johnson, N.L. Subplane covered affine planes. European J. Math. 63, (1996), 171-182.
- [5] Bader, L, Lunardon, G. On the flocks of $Q^+(3, q)$. Geom. Ded. 29(1989), 177–183.
- [6] Bader, L., Lunardon, G., Thas, J.A. Derivation of flocks of quadratic cones. Forum Mathematicum 2 (1990), 163–174.
- [7] Baker, R.D. , Ebert, G.L. A nonlinear flock in the Minkowski plane of order 11. Eighteenth Southeastern International Conference on Combinatorics, Graph Theory and Computing (Boca Raton, Fl., 1987) Congr. Numer. 58 (1987), 75-81.
- [8] Baker, R.D., Ebert, G.L. A new class of translation planes. Proc. Inter. Conf. Combinators '86, (Trento 1986), 7-10, Ann. Discrete Math. 37, North Holland, Amsterdam, 1988.
- [9] Baker, R.D. , Ebert, G.L. A new class of translation planes. Nests of size $(q - 1)$ and another family of translation planes. J. London Math. Soc. 38 (1988), 341-355.
- [10] Beth, Th., Jungnickel, D., Lenz, H. **Design Theory**. Wissenschaftsverlag, Bibliographisches Institute, Cambridge University Press, Cambridge, London-New York-New Rochelle-Melbourne-Sydney, 1986.
- [11] Betten, D. 4-Dimensionale Translationsebenen met 8-Dimensionaler Kollinetionsgruppi. Geom. Ded. 2 (1973), 327–329.
- [12] Biliotti, M., Jha, V., Menichetti, G., Johnson, N.L. A structure theorey for two dimensional translation planes of order q^2 that admit collineation groups of order q^2 . Geom. Ded. 29(1989), 7–43.
- [13] Biliotti, M., Jha, V., Menichetti, G., Johnson, N.L. The collineation groups of Baer-elation planes. Atti em. Mat. Fis. Univ. Moderna 36, no. 1(1988), 23–35.
- [14] Biliotti, M., Johnson, N.L. Maximal Baer groups in translation planes and compatibility with homology groups. Geom. Ded. 59 (1996), 65-101.
- [15] Biliotti, M., Lunardon, G. Insiemi di derivazione e sottopiani di Baer in un piano di traslazione. Atti. Acc. Naz. Lincei. Cl. Sci Fis. Mat. Nat. (8) 69(1980).
- [16] Biliotti, M., Menichetti, G. Derived semifield planes with affine elations. J. Geom. 19(1982), 50–88.
- [17] Biliotti, M. , Menichetti, G. On a generalization of Kantor's likeable planes. Geom. Ded. 17(1985), 253–277.
- [18] Bonisoli, A. On the sharply 1-transitive subsets of $PGL(2, p^m)$. J. Geom. 31 (1988), 32-41.
- [19] Bonisoli, A. On resolvable finite Minkowski planes. J. Geom. 36 (1989), 1–7.
- [20] Bose,R.C., Bruck, R.H. The construction of translation planes from projective spaces. J. Algebra 1 (1964), 85–102.

- [21] Bruen, A.A. Inversive geometry and some translation planes, I. Geom. Ded. 7(1978), 81–98.
- [22] Burn, R.P. Bol quasifields and Pappus' Theorem. Math. Z. 105 (1968), 351–367.
- [23] Capursi, M. A translation plane of order 11^2 . J. Comb. Theory Ser A 35 (1983), 289–300.
- [24] Charnes, C. A non-symmetric translation plane of order 17^2 . J. Geom. 37 (1990), 77–83.
- [25] Cofman, J. Baer subplanes and Baer collineation of derivable projective planes. Abh. Math. Sem. Hamburg 44, (1975), 187–192.
- [26] De Clerck, F., Johnson, N.L. Subplane covered nets and semi-partial geometries. Discrete Math. 106/107(1992), 127–134.
- [27] De Clerck, F., Van Maldeghem, H. Flocks of an infinite quadratic cone. Bulletin of the Belgian Math. Society/Simon Stevin. Vol 2, no. 3 (1994), 399–415.
- [28] Dembowski, P. **FiniteGeometries**. Springer-Verlag, Berlin, Heidelberg, New York, 1967.
- [29] Dickson, L.E. **Linear Groups**. Dover Pub. Inc. New York, 1958.
- [30] Ebert, G.L. Some nonreplaceable nests. Combinatorics '88 vol. 1 (Ravello 1988), 353–372 Lecture notes Math., Mediterranean, Rende, 1997
- [31] Ebert, G.L. Spreads admitting regular elliptic covers. Europ. J. Comb. 10 (1989), 319–330.
- [32] Gevaert, H., Johnson, N.L. On maximal partial spreads in $PG(3, q)$ of cardinalities $q^2 - q + 1$, $q^2 - q + 2$. Ars Combinatoria, 26(1988), 191–196.
- [33] Gevaert, H., Johnson, N.L. Flocks of quadratic cones, generalized quadrangles, and translation planes. Geom. Ded. 27, no. 3(1988), 301–317.
- [34] Gevaert, H., Johnson, N.L., Thas, J.A. Spreads covered by reguli. Simon Stevin. Vol. 62(1988), 51–62.
- [35] Gleason, A.M. Finite Fano planes. Amer. J. Math. 78, (1956), 797–807.
- [36] Grundhöfer, T. Eine charakterisierung ableitbarer translationsebenen. Geom. Dd. 11 (1981), 177–185.
- [37] Foulser, D.A. Subplanes of partial spreads in translation planes. Bull. London Math. Soc. 4(1972), 32–38.
- [38] Foulser, D.A. Baer p -elements in translation planes. J. Alg. 31 (1974), 354–366.
- [39] Foulser, D.A., Walker, M. A construction of Ostrom. **Finite Geometries**, Lecture Notes in Pure and Applied Mathematics, Vol. 82, edited by N.L. Johnson, M.J. Kallaher, C.T. Long, 1983, 161–173.
- [40] Hanson, J., Kallaher, M.J. Finite Bol quasifields are nearfields. Utilitas Math. 37 (1990), 45–64.
- [41] Hering, Ch. On shears of translation planes. Abh. d. Math. Seminar d. Univer. Hamburg, 37, 3/4(1972), 258–268.
- [42] Hiramine, Y. On nets of order q^2 and degree $q+1$ admitting $GL(2, q)$. Geom. Ded., vol. 48(1993), 86–108.
- [43] Hiramine, Y. and Johnson, N.L. Nets of order p^2 and degree $p+1$ admitting $SL(2, p)$. Geom. Ded. 69 (1988), 15–34.
- [44] Hiramine, Y., Johnson, N.L. Classification of generalized André planes of order p^t that admit affine homology groups of order $(p^t - 1)/2$. Geom. Ded. 41 (1992), 175–190.
- [45] Hiramine, Y., Johnson, N.L. Near nearfield planes. Geom. Ded. 43 (1992), 17–33.
- [46] Hiramine, Y., Matsumoto, M., Oyama, T. On some extension of 1-spread sets. Osaka J. Math. 24(1987), 123–137.
- [47] Jha, V., Johnson, N.L. Derivable nets defined by central collineations, Inform. and Systems Sci., vol. 11, nos. 2-4(1986), 83–91.
- [48] Jha, V., Johnson, N.L. Baer-elation planes. Rend. d. Math. Padova. Vol 78(1987), 27–45.

- [49] Jha, V., Johnson, N.L. Solution to Dempwolff's *B*-group problem. *Europ. J. Comb.* vol. 7, no. 3 July (1986), 227–235.
- [50] Jha, V., Johnson, N.L. The odd order analogue of Dempwolff's *B*-group problem. *J. Geom.* 28 (1) (1987), 1–6.
- [51] Jha, V., Johnson, N.L. Coexistence of elations and large Baer groups in translation planes. *J. London Math. Soc.* 2 (32) (1985), 297–304.
- [52] Jha, V., Johnson, N.L. Baer involutions in translation planes admitting large elation groups. *Resultate d. Math.* vol. 11 (1987), 63–71.
- [53] Jha, V., Johnson, N.L. Nests of reguli and flocks of quadratic cones. *Simon Stevin.* 63 (1989), 311–338.
- [54] Jha, V., Johnson, N.L. Rigidity in conical flocks. *J. Combinatorial Theory Ser A* 73 (1996), 60–76.
- [55] Jha, V., Johnson, N.L. Infinite flocks of a quadratic cone. *J. Geom.* 57 (1996), 123–150.
- [56] Jha, V., Johnson, N.L. Flocks of an oval cone and extensions of Theorems of Thas. *Note di Mat.* 14 (1994), 189–197.
- [57] Jha, V., Johnson, N.L. Automorphism groups of flocks of oval cones. *Geom. Ded.* 61 (1996), 71–85.
- [58] Jha, V., Johnson, N.L. The doubly transitive flocks of quadratic cones. *europ. J. Comb.* 18 (1997), 763–778.
- [59] Jha, V., Johnson, N.L. Quasifibrations. *Bull. Belg. Math. Soc. Simon Stevin* 3 (1996), 313–324.
- [60] Johnson, N.L. Lezioni sui piani di traslazione. *Quaderni d. Dipart. d. Mat. dell'Univ. di Lecce. Q.* 3(1986), 1–121.
- [61] Johnson, N.L. On derivable Baer-elation planes. *Note di Mat. Lecce.*, vol III(1987), 19–27.
- [62] Johnson, N.L. Semifield flocks of quadratic cones. *Simon Stevin*, 61, no. 3-4(1987), 313–326.
- [63] Johnson, N.L. A note on translation planes of large dimension. *J. Geom.* vol. 33(1988), 66–72.
- [64] Johnson, N.L. Derivation is a polarity. *J. Geom.* vol. 35(1989), 97–102.
- [65] Johnson, N.L. Flocks of hyperbolic quadrics and translation planes admitting affine homologies. *J. Geom.* vol. 34(1989), 50–73.
- [66] Johnson, N.L. A characterization of the Hall planes by planar and non-planar involutions. *Inter. J. Math. and Math Sci.* 12, no. 4 Dec. (1989), 781–786.
- [67] Johnson, N.L. Translation planes admitting Baer groups and partial flocks of quadric sets. *Simon Stevin.* vol. 63, no. 3 (1989), 163–187.
- [68] Johnson, N.L. Derivable nets and 3-dimensional projective spaces. *Abh. d. Math. Sem.(Hamburg)*, 58(1988), 245–253.
- [69] Johnson, N.L. Derivable nets and 3-dimensional projective spaces. II — the structure. *Arch. d. Math. Archiv d. Math.* vol. 55 (1990), 84–104.
- [70] Johnson, N.L. Nest replaceable translation planes. *J. Geom.* vol. 36(1989), 49–62.
- [71] Johnson, N.L. The derivation of dual translation planes. *J. Geom.* vo. 36(1989), 63–90.
- [72] Johnson, N.L. Derived Fisher planes. *Simon Stevin*, no. 64, no. 1 (1990), 21–50.
- [73] Johnson, N.L. Maximal partial spreads and central groups. *Note di Mat.*, Vol. 9,no. 2 (1989), 249–261.
- [74] Johnson, N.L. Ovoids and translation planes revisited. *Geom Ded.* 38 (1991), 13–57.
- [75] Johnson, N.L. Derivation by coordinates. *Note di Mat. Vol X*(1990), 89–96.
- [76] Johnson, N.L. Derivation of partial flocks of quadratic cones. *Rend. d. Mat.*, VII, Vol. 12, 4 (1992) 817–848.
- [77] Johnson, N.L. Conical flocks whose corresponding translation planes are derivable. *Simon Stevin*, vol. 65, 3/4(1991), 199–215.

- [78] Johnson, N.L. A group theoretic characterization of finite derivable nets. *J. Geom.* vol. 49 (1991), 105–112.
- [79] Johnson, N.L. Homology groups, nearfields, and reguli. *J. Geom.* vol. 42 (1991), 109–125.
- [80] Johnson, N.L. Sequences of derivable translation planes. *Osaka J. Math.* 25(1988), 519–530.
- [81] Johnson, N.L. Translation planes of order q^2 that admit $q+1$ elations. *Geom. Ded.* 15(1984), 329–337.
- [82] Johnson, N.L. Foulser's covering theorem. *Note di Mat. Lecce*, vol. 11 (1985), 139–145.
- [83] Johnson, N.L. Flocks and partial flocks of quadric sets. *Comtemp. Math.* 111 (1990), 71–80.
- [84] Johnson, N.L. Translation planes covered by subplane covered nets. *Simon Stevin*, vol. 66, no. 3/4(1992), 221–239.
- [85] Johnson, N.L. Partially sharp subsets of $PL(n, q)$. *London Math. Soc. Lecture Notes* #191. *Finite Geometry and Combinatorics*, (1993), 217–232.
- [86] Johnson, N.L. Flocks of infinite hyperbolic quadrics. *J. Algebraic Combin.* 6 (1997), 27–51.
- [87] Johnson, N.L. Extending partial flocks containing linear subflocks. *J. Geom.* 55 (1996), 99–106.
- [88] Johnson, N.L. The classification of subplane covered nets. *Bulletin Belgian Math. Soc./ Simon Stevin* 2 (1995), 487–508.
- [89] Johnson, N.L. e Lin, K-S. Embedding dual nets in affine or projective spaces. *Rend. d. Mat.*, vol. 14 (1994), 483–502.
- [90] Johnson, N.L., Lunardon, G. Maximal partial flocks and quadratic cones. *Des. Codes Cryptogr.* 10 (1997), 193–202.
- [91] Johnson, N.L., Lunardon, G., Wilke, F.W. Semifields skeletons of conical flocks. *J. Geom.* vol. 49 (1991), 105–112.
- [92] Johnson, N.L., Ostrom, T.G. Direct products of affine linear spaces. *J. Combinatorial Theory* 75 (1996), 99–140.
- [93] Johnson, N.L., Ostrom, T.G. Inherited Groups and kernels of derived translation planes. *Europ. J. Comb.* 11,(1990), 145–149.
- [94] Johnson, N.L., Pomareda, R. A maximal partial flock of deficiency one of the hyperbolic quadric in $PG(3,9)$. *Simon Stevin*, vol. 64, no. 2 (1990), 169–177.
- [95] Johnson, N.L., Pomareda, R. Mixed nests. *J. Geom.* 56 (1996), 59–86.
- [96] Johnson, N.L., Pomareda, R. André planes and nests of reguli. *Geom. Ded.* 31(1989), 245–260.
- [97] Johnson, N.L., Pomareda, R., Wilke, F.W. j -planes. *J. Comb. Theory(series A)*, vol. 56, no. 2 (1991), 271–284.
- [98] Johnson, N.L., Rahilly, A. On elations of derived semifield planes. *Proc. London Math. Soc.* (3), 35(1977), 76–88.
- [99] Jungnickel, D. Maximal partial spread and translation nets of small deficiency. *J. Alg.* 90(1984), 119–132.
- [100] Kallaher, M.J. A note on Bol projective planes. *Arch. d. Math.* 20 (1969), 329–332.
- [101] Kallaher, M.J. A note on finite Bol quasifields. *Arch. d. Math.* 23(1972), 164–166.
- [102] Kantor, W.M. Generalized quadrangles and translation planes. *Alg. Groups, an Geom.*, 2(1986), 323–354.
- [103] Kantor, W.M. Some generalized quadrangles with parameters q^2, q . *Math. Z.* 192 (1986), 45–50.
- [104] Kantor, W.M. Point-transitive affine planes. *Israel J. Math.* 42(1982), 227–234.
- [105] Kantor, W.M. Ovoids and translation planes. *Canad. J. Math.*, no. 5, 34(1982), 1195–1207.
- [106] Kantor, W.M. Note on generalized quadrangles, flocks and BLT-sets. *J. Combin. Theory Ser. A* 58 (1991) 153–157.

- [107] Korchmaròs, G. A translation plane of order 49 with non-solvable collineation group. *j. Geom.* 28 (1985), 18-30.
- [108] Korchmaròs, G., Pellegrino, G. Translation planes of order 11^2 . *Annals of Discrete Math.* 14, (1982), 249–264.
- [109] Krüger, J. Derivation in Projectiven Ebenen über Cartesischen Gruppen. Diplomarbeit. Univ. Dortmund 1988.
- [110] Larato, B., Raguso, G. Il gruppo delle collineazioni di un particolare piano di traslazione d'ordine 11^2 . *Rivista Mat. Parma.* (to appear).
- [111] Liebler, R.A. Combinatorial representation theory and translation planes. **Finite Geometries.** Lecture notes in pure and applied math., vol. 82 , Marcel Dekker, 1983,, edited by N.L Johnson, M.J. Kallaher, C.T. Long, 307–325.
- [112] Lüneburg, H. **Translation planes.** Springer-Verlag. Berlin, Heidelberg, New York, 1980.
- [113] Lunardon, G. Piani di traslazione derivabili. *Rend. Sem. Mat. Univ. Padova* 61 (1979), 271–284.
- [114] Orr, W.F. The Miquelian Inversive plane $IP(q)$ and the associated projective planes. Thesis, Univ. Wisconsin, 1973.
- [115] Ostrom, T.G. The dual Lüneburg planes. *Math. Z.* 92(1965), 201–209.
- [116] Ostrom, T.G. Vector spaces and construction of finite projective planes. *Arch. Math.* XIX(1968), 1–25.
- [117] Ostrom, T.G. Nets with critical deficiency. *Pacific J. Math.* 14(1964), 1381–1387.
- [118] Ostrom, T.G. Semi-translation planes. *Trans. Amer. Math. Soc.* 111(1964), 1–18.
- [119] Ostrom, T.G. Translation planes and configurations in Desarguesian planes. *Arch. Math.* 11(1960), 457–464.
- [120] Ostrom, T.G. Linear transformations and collineations of translation planes. *Journal Alg.*, vol. 14, no. 3 (1970), 405–416.
- [121] Pabst, G. , Sherk, F.A. Indicator sets, reguli and a new class of spreads. *Canad. J. Math.* 29(1977), 132-154.
- [122] Payne, S.W. A garden of generalized quadrangles. *Alg., Groups, Geom.* 3(1985), 323–354.
- [123] Payne, S.W. The Thas-Fisher generalized quadrangles. *Annals of Discrete Math.* 37(1988), 357–366.
- [124] Payne, S.W. Spreads, flocks and generalized quadrangles. *J. Geom.* 33(1988), 113–128.
- [125] Payne, S.W. An essay on skew translation generalized quadrangles. *Geom. Ded.* 32(1989), 93–118.
- [126] Payne, S.W., Rogers, L.A. Local group actions on generalized quadrangles. (to appear).
- [127] Payne, S.W., Thas, J.A. Conical flocks, partial flocks, derivation, and generalized quadrangles. *Geom. Ded.* 38 (1991), 229–243.
- [128] Prohaska, O. Endliche Ableitbare Affine Ebenen. *Geom. Ded.* 1(1972), 6–17.
- [129] Raguso, G. Un piano di traslazione di ordine 11^2 . *Rendiconti di Math. (Roma)*(to appear).
- [130] Riesinger, R. J. Faserungen, die aus Reguli mit einem gemeinsamen Geradenpaar zusammengesetzt sind. *Geom. Vol.* 45 (1992), 137–157.
- [131] Rosati, L. Su una nuova classe di piani grafici. *Richerche di Mat.* 13(1964), 1–17.
- [132] Storme, L, Thas, J.A. k-arcs and partial flocks. *Linear Algebra Appl.* 226/228 (1995), 33-45.
- [133] Thas, J.A. Generalized quadrangles and flocks of cones. *Europ. J. Comb.* 8(1987), 441–452.
- [134] Thas, J.A. Flocks, maximal exterior sets and inversive planes. *Contemp. Math.* 111 (1990), 187–218.
- [135] Thas, J.A. Flocks of finite egglike inversive planes, in “Finite Geometric Structures and their applications. (E. by A. Barlotti).Rome, (1973), 189–191.