

INDICE

FARID HEMIDA, CHRISTIAN REYNAUD, CHRISTIAN CAPAPÉ Captures of common angelsharks <i>Squatina squatina</i> (Squatinaidae) from the Algerian coast (Southwesternern Mediterranean Sea).....	p. 3
FEBO LUMARE, PIERO MEDAGLI Three news hybridis of <i>Serapias</i> in Salento (Southern Apulia): <i>Serapias xromanoi</i> (<i>S. neretina</i> x <i>S. vomeracea</i>), <i>Serapias xnatalizioi</i> (<i>S. neretina</i> x <i>vomeracea</i> var. <i>longipetala</i>) and xserapicamptis nohae Canacamptis papilionacea x neretina	" 11
FEBO LUMARE, PIERO MEDAGLI, SALVATORE DE GIORGI, MARCO RICCHIUTO <i>Ophrys xvernolensis</i> , a new hybrid between <i>Ophrys apulica</i> and <i>Ophrys lutea</i> , found in Salento (Southern Italy)	" 45
LUIGI CAPASSO Possible fossil fish in amber	" 57
DANIELE TRONO Biocoenotic assessment of the la Strea inlet (Porto Cesareo, Italy) and ITS Associated Malacofauna	" 73
MOURAD CHÉRIF, RIMEL BENMESSAOUD, MOHAMED NOURI AYADI, CHRISTIAN CAPAPÉ Confirmed occurrence of the Por's goatfish <i>Upeneus pori</i> (Mullidae) in the Tunisian Waters (Central Mediterranean Sea).....	" 115
MARCO LEZZI, EMANUELE MANCINI, ANDREA BONIFAZI, FABIO BERTASI, JOACHIM LANGENECH Taxonomic insights: an identification key to Mediterranean <i>Spionidae</i> <i>Grube</i> , 1850	" 121

